

PEER-REVIEWED PUBLICATIONS (* designates papers with Hinrichs as PI and/or senior author and/or the 1st author being a grad student/postdoc in the *Hinrichs Lab*)

- [238] Lever, M.A., Alperin, M.J., **Hinrichs, K.-U.**, Teske, A. (2023) Zonation of the active methane-cycling community in deep subsurface sediments of the Peru Trench. *Frontiers in Microbiology*, 14:1192029. <https://doi.org/10.3389/fmicb.2023.1192029>
- [237] Yu, T., Wu, W., Liang, W., Wang, Y., Hou, J., Chen, Y., Elvert, M., **Hinrichs, K.-U.**, Wang, F. (2023) Anaerobic degradation of organic carbon supports uncultured microbial populations in estuarine sediments. *Microbiome*, 11, 81. <https://doi.org/10.1186/s40168-023-01531-z>
- *[236] Saito, R., Wörmer, L., Taubner, H., Kaiho, K., Takahashi, S., Tian, L., Ikeda, M., Summons, R.E., **Hinrichs, K.-U.** (2023) Centennial scale sequences of environmental deterioration preceded the end-Permian mass extinction. *Nature Communications*, 14, 2113. <https://doi.org/10.1038/s41467-023-37717-0>
- [235] Neubauer, C., Kantnerová, K., Lamothe, A., Savarino, J., Hilkert, A., Juchelka, D., **Hinrichs, K.-U.**, Elvert, M., Heuer, V., Elsner, M., Bakkour, R., Julien, M., Öztoprak, M., Schouten, S., Hattori, S., Dittmar, T. (2023) Discovering nature's fingerprints: Isotope ratio analysis on bioanalytical mass spectrometers. *Journal of the American Society for Mass Spectrometry*, 34, 525-537. <https://doi.org/10.1021/jasms.2c00363>
- *[234] Gan, S., Heuer, V.B., Schmidt, F., Wörmer, L., **Hinrichs, K.-U.** (2023) A simple guideline to apply Excitation-Emission Matrix Spectroscopy (EEMs) for the characterization of dissolved organic matter (DOM) in anoxic marine sediments. *Acta Oceanologica Sinica*, 42, 109-119. <https://doi.org/10.1007/s13131-022-2050-0>
- *[233] Goudriaan, M., Morales, V.H., van der Meer, M.T.J., Mets, A., Ndhlovu, R.T., van Heerwarden, J., Simon, S., Heuer, V.B., **Hinrichs, K.-U.**, Niemann, H. (2023) A stable isotope assay with ¹³C-labeled polyethylene to investigate plastic mineralization mediated by *Rhodococcus ruber*. *Marine Pollution Bulletin*, 186, 114369. <https://doi.org/10.1016/j.marpolbul.2022.114369>
- [232] Lazar, C.S., Schmidt, F., Elvert, M., Heuer, V.B., **Hinrichs, K.-U.**, Teske, A. (2022) Microbial diversity gradients in the geothermal mud volcano underlying the hypersaline Urania Basin. *Frontiers in Microbiology*, 13, 1043414. <https://doi.org/10.3389/fmicb.2022.1043414>
- *[231] Wörmer, L., Wendt, J., Boehman, B., Haug, G.H., **Hinrichs, K.-U.** (2022) Deglacial increase of seasonal temperature variability in the tropical ocean. *Nature*, 612, 88-91. <https://doi.org/10.1038/s41586-022-05350-4>
- [230] Huang, X., Liu, X., Xue, Y.-R., Pan, B.-C., Xiao, L., Wang, J.-S., Lever, M. A., **Hinrichs, K.-U.**, Inagaki, F., Liu, C.-H. (2022) Anaerobic methane production by wood-rot fungi via a new, halomethane-dependent pathway. *Microbiology Spectrum*, 10(5), e01700-22. <https://doi.org/10.1128/spectrum.01700-22>
- *[229] Obreht, I., De Vleeschouwer, D., Wörmer, L., Kucera, M., Varma, D., Prange, M., Laepple, T., Wendt, J., Nandini-Weiss, S.D., Schulz, H., **Hinrichs, K.-U.** (2022) Last Interglacial decadal sea surface temperature variability in the eastern Mediterranean. *Nature Geoscience*, 15, 812-818. <https://doi.org/10.1038/s41561-022-01016-y>
- [228] Helten, O., Ostertag-Henning, C., Bach, W., **Hinrichs, K.-U.** (2022) Generation and decomposition of low-molecular-weight organic acids in hydrous pyrolysis experiments with Opalinus Clay rock. *Organic Geochemistry*, 172, 104481. <https://doi.org/10.1016/j.orggeochem.2022.104481>
- *[227] Liu, W., Alfken, S., Wörmer, L., Lipp, J.S., **Hinrichs, K.-U.** (2022) Hidden molecular clues in marine sediments revealed by untargeted mass spectrometry imaging. *Frontiers in Earth Science*, 10:931157. <https://doi.org/10.3389/feart.2022.931157>
- [226] Tourte, M., Coffinet, S., Wörmer, L., Lipp, J.S., **Hinrichs, K.-U.**, Oger, P.M. (2022) The exploration of the *Thermococcus barophilus* lipidome reveals the widest variety of phosphoglycolipids in Thermococcales. *Frontiers in Microbiology*, 13:869479. <https://doi.org/10.3389/fmicb.2022.869479>
- [225] Kropp, C., Lipp, J., Schmidt, A.-L., Seisenberger, C., Linde, M., **Hinrichs, K.-U.**, Babinger, P. (2022) Identification of acetylated diether lipids in halophilic Archaea. *Microbiology Open*, 11, e1299. <https://doi.org/10.1002/mbo3.1299>

- *[224] Zhu, Q.-Z., Wegener, G., **Hinrichs, K.-U.**, Elvert, M. (2022) Activity of ancillary heterotrophic community members in anaerobic methane-oxidizing cultures. *Frontiers in Microbiology*, 13:912299. <https://doi.org/10.3389/fmicb.2022.912299>
- [223] Sievert, S.M., Bühring, S.I., Gulmann, L.K., **Hinrichs, K.-U.**, Pop Ristova, P., Gomez-Saez, G.V. (2022) Fluid flow stimulates chemoautotrophy in hydrothermally influenced coastal sediments. *Communications Earth & Environment*, 3, 96. <https://doi.org/10.1038/s43247-022-00426-5>
- *[222] Napier, T., Wörmer, L., Wendt, J., Lücke, A., Rohlf, N., **Hinrichs, K.-U.** (2022) Sub-annual to interannual Arabian Sea upwelling, sea surface temperature, and Indian monsoon rainfall reconstructed using congruent micrometer-scale climate proxies. *Paleoceanography and Paleoclimatology*, 37, e2021PA004355. <https://doi.org/10.1029/2021PA004355>
- [221] Beulig, F., Schubert, F., Adhikari, R.R., Glombitza, C., Heuer, V.B., **Hinrichs, K.-U.**, Homola, K.L., Inagaki, F., Jørgensen, B.B., Kallmeyer, J., Krause, S.J.E., Morono, Y., Sauvage, J., Spivack, A.J., Treude, T. (2022) Rapid metabolism fosters microbial survival in the deep, hot subseafloor biosphere. *Nature Communications*, 13, 312. <https://doi.org/10.1038/s41467-021-27802-7>
- *[220] Coffinet, S., Mühlens, L., Lipp, J.S., Weil, M., Neubauer, C., Urich, T., **Hinrichs, K.-U.** (2022) Evidence for enzymatic backbone methylation of the main membrane lipids in the archaeon *Methanomassiliicoccus luminysensis*. *Applied and Environmental Microbiology*, 88, e02154-21. <https://doi.org/10.1128/aem.02154-21>
- *[219] Alfken, S., Wörmer, L., Lipp, J.S., Napier, T., Elvert, M., Wendt, J., Schimmelmann, A., **Hinrichs, K.-U.** (2021) Disrupted coherence between upwelling strength and redox conditions reflects source water change in Santa Barbara Basin during the 20th century. *Paleoceanography and Paleoclimatology*, 36, e2021PA004354. <https://doi.org/10.1029/2021PA004354>
- *[218] Song, M., Schubotz, F., Kellermann, M.Y., Hansen, C.T., Bach, W., Teske, A.P., **Hinrichs, K.-U.** (2021) Formation of ethane and propane via abiotic reductive conversion of acetic acid in hydrothermal sediments. *Proceedings of the National Academy of Sciences*, 118(47), e2005219118. <https://doi.org/10.1073/pnas.2005219118>
- [217] Kiel Reese, B., Sobol, M.S., Bowles, M.W., **Hinrichs, K.-U.** (2021) Redefining the subsurface biosphere: Characterization of fungi isolated from energy-limited marine deep subsurface sediment. *Frontiers in Fungal Biology*, 2:727543. <https://doi.org/10.3389/ffunb.2021.727543>
- *[216] Zhu, Q.Z., Elvert, M., Meador, T.B., Becker, K.W., Heuer, V.B., **Hinrichs, K.-U.** (2021) Stable carbon isotopic compositions of archaeal lipids constrain terrestrial, planktonic, and benthic sources in marine sediments. *Geochimica et Cosmochimica Acta*, 307, 319-337. <https://doi.org/10.1016/j.gca.2021.04.037>
- [215] Chuang, P.-C., Dale, A.W., Heuer, V.B., **Hinrichs K.-U.**, Zabel, M. (2021) Coupling of dissolved organic carbon, sulfur and iron cycling in Black Sea sediments over the Holocene and the late Pleistocene: Insights from an empirical dynamic model. *Geochimica et Cosmochimica Acta*, 307, 302-318. <https://doi.org/10.1016/j.gca.2021.04.032>
- [214] Sherwood Lollar, B., Heuer, V.B., McDermott, J., Tille, S., Warr, O., Moran, J.J., Telling, J., **Hinrichs, K.-U.** (2020) A window into the abiotic carbon cycle—acetate and formate in fracture waters in 2.7 billion year-old host rocks of the Canadian Shield. *Geochimica et Cosmochimica Acta*, 294, 295-314. <https://doi.org/10.1016/j.gca.2020.11.02>
- *[213] Heuer, V.B., Inagaki, F., Morono, Y., Kubo, Y., Spivack, A.J., Viehweger, B., Treude, T., Beulig, F., Schubotz, F., Tonai, S., Bowden, S.A., Cramm, M., Henkel, S., Hirose, T., Homola, K., Hoshino, T., Ijiri, A., Imachi, H., Kamiya, N., Kaneko, M., Lagostina, L., Manners, H., McClelland, H.L., Metcalfe, K., Okutsu, N., Pan, D., Raudsepp, M.J., Sauvage, J., Tsang, M.-Y., Wang, D.T., Whitaker, E., Yamamoto, Y., Yang, K., Maeda, L., Adhikari, R.R., Glombitza, C., Hamada, Y., Kallmeyer, J., Wendt, J., Wörmer, L., Yamada, Y., Kinoshita, M., **Hinrichs, K.-U.** (2020) Temperature limits to deep subseafloor life in the Nankai Trough subduction zone. *Science*, 370, 1230-1234. <https://dx.doi.org/10.1126/science.abd7934>
- [212] Aromokeye, D.A., Oni, O.E., Tebben, J., Yin, X., Richter-Heitmann, T., Wendt, J., Nimzyk, R., Littmann, S., Tienken, D., Kulkarni, A.C., Henkel, S., **Hinrichs, K.-U.**, Elvert, M., Harder, T., Kasten, S., Friedrich, M.W. (2020) Crystalline iron oxides stimulate methanogenic benzoate degradation in marine sediment-derived enrichment cultures. *The ISME Journal*, 15, 965-980. <https://doi.org/10.1038/s41396-020-00824-7>

- [211] Ding, S., Lange, M., Lipp, J., Schwab, V.F., Chowdhury, S., Pollierer, M.M., Krause, K., Li, D., Kothe, E., Scheu, S., Welti, R., **Hinrichs, K.-U.**, Gleixner, G. (2020) Characteristics and origin of intact polar lipids in soil organic matter. *Soil Biology and Biochemistry*, 151, 108045. <https://doi.org/10.1016/j.soilbio.2020.108045>
- *[210] Alfken, S., Wörmer, L., Lipp, J. S., Wendt, J., Schimmelmann, A., **Hinrichs, K.-U.** (2020) Mechanistic insights into molecular proxies through comparison of subannually resolved sedimentary records with instrumental water column data in the Santa Barbara Basin, Southern California. *Paleoceanography and Paleoclimatology*, 35, e2020PA004076. <https://doi.org/10.1029/2020PA004076>
- [209] Hoshino, T., Doi, H., Uramoto, G.I., Wörmer, L., Adhikari, R.R., Xiao, N., Morono, Y., D'Hondt, S., **Hinrichs, K.-U.**, Inagaki F. (2020) Global diversity of microbial communities in marine sediment. *Proceedings of the National Academy of Sciences*, 117(44), 27587-27597. <https://doi.org/10.1073/pnas.1919139117>
- [208] Steen, A.D., Kusch, S., Abdulla, H.A., Cakić, N., Coffinet, S., Dittmar, T., Fulton, J.M., Galy, V., **Hinrichs, K.-U.**, Ingalls, A.E., Koch, B.P., Kujawinski, E., Liu, Z., Osterholz, H., Rush, D., Seidel, M., Sepulveda, J., Wakeham, S.G. (2020) Analytical and computational advances, opportunities, and challenges in marine organic biogeochemistry in an era of "omics". *Frontiers in Marine Science*, 7:718. <https://doi.org/10.3389/fmars.2020.00718>
- *[207] Wu, W., Meador, T.B., Könneke, M., Elvert, M., Wegener, G., **Hinrichs, K.-U.** (2020) Substrate-dependent incorporation of carbon and hydrogen for lipid biosynthesis by Methanoscincina barkeri. *Environmental Microbiology Reports*, 12(5), 555-567. <https://doi.org/10.1111/1758-2229.12876>
- *[206] Wörmer, L., Gajendra, N., Schubotz, F., Matys, E.D., Evans, T.W., Summons, R.E., **Hinrichs, K.-U.** (2020) A micrometer-scale snapshot on phototroph spatial distributions: Mass spectrometry imaging of microbial mats in Octopus Spring, Yellowstone National Park. *Geobiology*, 18(6), 742-759. <http://dx.doi.org/10.1111/gbi.12411>
- [205] Xu, Y., Wu, W., Xiao, W., Ge, H., Wie, Y., Yin, X., Yao, H., Lipp, J.S., Pan, B., **Hinrichs, K.-U.** (2020) Intact ether lipids in trench sediments related to archaeal community and environmental conditions in the deepest ocean. *Journal of Geophysical Research: Biogeosciences*, 125(7), e2019JG005431. <https://doi.org/10.1029/2019JG005431>
- [204] Ma, C., Coffinet, S., Lipp, J.S., **Hinrichs, K.-U.**, Zhang, C.L. (2020) Marine Group II Euryarchaeota contribute to the archaeal lipid pool in Northwestern Pacific Ocean surface waters. *Frontiers in Microbiology* 11:1034. <https://doi.org/10.3389/fmicb.2020.01034>
- [203] Nigro, L.M., Elling, F.J., **Hinrichs, K.-U.**, Joye, S.B., Teske, A. (2020) Microbial ecology and biogeochemistry of hypersaline sediments in Orca Basin. *PLoS one*, 15(4), e0231676. <https://doi.org/10.1371/journal.pone.0231676>
- [202] Gutiérrez, M.H., Vera, J., Strain, B., Quiñones, R.A., Wörmer, L., **Hinrichs, K.U.**, Pantoja-Gutiérrez, S. (2020) Biochemical fingerprints of marine fungi: Implications for trophic and biogeochemical studies. *Aquatic Microbial Ecology*, 84, 75-90. <https://doi.org/10.3354/ame01927>
- [201] Becker, S., Tebben, J., Coffinet, S., Wiltshire, K., Iversen, M.H., Harder, T., **Hinrichs, K.-U.**, Hehemann, J.H. (2020) Laminarin is a major molecule in the marine carbon cycle. *Proceedings of the National Academy of Sciences*, 117(12), 6599-6607. <https://doi.org/10.1073/pnas.1917001117>
- [200] Probst, A.J., Elling, F.J., Castelle, C.J., Zhu, Q., Elvert, M., Birarda, G., Holman, H.Y., Lane, K.R., Ladd, B., Ryan, M.C., Woyke, T., **Hinrichs, K.-U.**, Banfield, J.F. (2020) Lipid analysis of CO₂-rich subsurface aquifers suggests an autotrophy-based deep biosphere with lysolipids enriched in CPR bacteria. *The ISME Journal* 14, 1547-1560. <https://doi.org/10.1038/s41396-020-0624-4>
- *[199] Gan, S., Schmidt, F., Heuer, V.B., Goldhammer, T., Witt, M., **Hinrichs, K.-U.** (2020) Impacts of redox conditions on dissolved organic matter (DOM) quality in marine sediments off the River Rhône, Western Mediterranean Sea. *Geochimica et Cosmochimica Acta*, 276, 151-169. <https://doi.org/10.1016/j.gca.2020.02.001>
- *[198] Obreht, I., Wörmer, L., Brauer, A., Wendt, J., Alfken, S., De Vleeschouwer, D., Elvert, M., **Hinrichs, K.-U.** (2020) An annually resolved record of Western European vegetation response to Younger Dryas cooling. *Quaternary Science Reviews*, 231, 106198. <https://doi.org/10.1016/j.quascirev.2020.106198>

- [197] Aromokeye, D.A., Kulkarni, A.C., Elvert, M., Wegener, G., Henkel, S., Coffinet, S., Eickhorst, T., Oni, O.E., Richter-Heitmann, T., Schnakenberg, A., Taubner, H., Wunder, L., Yin, X., Zhu, Q.Z., **Hinrichs, K.-U.**, Kasten, S., Friedrich, M.W. (2020) Rates and microbial players of iron-driven anaerobic oxidation of methane in methanic marine sediments. *Frontiers in Microbiology*, 10:3041. <https://doi.org/10.3389/fmicb.2019.03041>
- *[196] Coffinet, S., Meador, T.B., Mühlens, L., Becker, K.W., Schröder, J., Zhu, Q.Z., Lipp, J.S., Heuer, V.B., Crump, M.P., **Hinrichs, K.-U.** (2020) Structural elucidation and environmental distributions of butanetriol and pentanetriol dialkyl glycerol tetraethers (BDGTs and PDGTs). *Biogeosciences*, 17, 317-330. <https://doi.org/10.5194/bg-17-317-2020>
- [195] Kölling, M., Bouimetarhan, I., Bowles, M.W., Felis, T., Goldhammer, T., **Hinrichs, K.-U.**, Schulz, M., Zabel, M. (2019) Consistent CO₂ release by pyrite oxidation on continental shelves prior to glacial terminations. *Nature Geoscience*, 12, 929-934. <https://doi.org/10.1038/s41561-019-0465-9>
- [194] Tsang, M.Y., Bowden, S.A., Wang, Z., Mohammed, A., Tonai, S., Muirhead, D., Yang, K., Yamamoto, Y., Kamiya, N., Okutsu, N., Hirose, T., Kars, M., Schubotz, F., Ijiri, A., Yamada, Y., Kubo, Y., Morono, Y., Inagaki, F., Heuer, V.B., **Hinrichs, K.-U.** (2020) Hot fluids, burial metamorphism and thermal histories in the underthrust sediments at IODP 370 site C0023, Nankai Accretionary Complex. *Marine and Petroleum Geology*, 112, 104080. <https://doi.org/10.1016/j.marpetgeo.2019.104080>
- *[193] Evans, T.W., Coffinet, S., Könneke, M., Lipp, J.S., Becker, K.W., Elvert, M., Heuer, V.B., **Hinrichs, K.-U.** (2019) Assessing the carbon assimilation and production of benthic archaeal lipid biomarkers using lipid-RIP. *Geochimica et Cosmochimica Acta*, 265, 431-442. <https://doi.org/10.1016/j.gca.2019.08.030>
- [192] Bowden, S.A., Mohamed, A.Y., Edilbi, A.N.F., Lin, Y.-S., Morono, Y., **Hinrichs, K.-U.**, Inagaki, F. (2020) Modelling the Shimokita deep coalbed biosphere over deep geological time: Starvation, stimulation, material balance and population models. *Basin Research*, 32, 804-829. <https://doi.org/10.1111/bre.12399>
- [191] Aiello, I.W., Beaufort, L., Goldhammer, T., Heuer, V.B., **Hinrichs, K.-U.**, Zabel, M. (2020) Anatomy of a 'suspended' seafloor in the dense brine waters of the deep hypersaline Urania Basin. *Deep Sea Research Part II: Topical Studies in Oceanography*, 171, 104626. <https://doi.org/10.1016/j.dsr2.2019.07.014>
- [190] D'Hondt, S., Inagaki, F., Orcutt, B.N., **Hinrichs, K.-U.** (2019) IODP advances in understanding of subseafloor life. *Oceanography* 32(1), 198-207. <https://dx.doi.org/10.5670/OCEANO.2019.146>
- *[189] Wörmer, L., Hoshino, T., Bowles, M.W., Viehweger, B., Adhikari, R.R., Xiao, N., Uramoto, G.-I., Könneke, M., Lazar, C.S., Morono, Y., Inagaki, F., **Hinrichs, K.-U.** (2019) Microbial dormancy in the marine subsurface: Global endospore abundance and response to burial. *Science Advances*, 5, eaav1024. <https://doi.org/10.1126/sciadv.aav1024>
- [188] Imachi, H., Tasumi, E., Takaki, Y., Hoshino, T., Schubotz, F., Gan, S., Tu, T.-H., Saito, Y., Yamanaka, Y., Ijiri, A., Matsui, Y., Miyazaki, M., Morono, Y., Takai, K., **Hinrichs, K.-U.**, Inagaki, F. (2019) Cultivable microbial community in 2-km-deep, 20-million-year-old subseafloor coalbeds through ~1000 days anaerobic bioreactor cultivation. *Scientific Reports*, 9, 2305. <https://doi.org/10.1038/s41598-019-38754-w>
- [187] Zhuang, G.C., Montgomery, A., Samarkin, V.A., Song, M., Liu, J., Schubotz, F., Teske, A., **Hinrichs, K.-U.**, Joye, S.B. (2019) Generation and utilization of volatile fatty acids and alcohols in hydrothermally altered sediments in the Guaymas Basin, Gulf of California. *Geophysical Research Letters*, 46, 2637-2646. <https://doi.org/10.1029/2018GL081284>
- [186] Lü, X., Chen, J., Han, T., Yang, H., Wu, W., Ding, W., **Hinrichs, K.U.** (2019) Origin of hydroxyl GDGTs and regular isoprenoid GDGTs in suspended particulate matter of Yangtze River Estuary. *Organic Geochemistry*, 128, 78-85. <https://doi.org/10.1016/j.orggeochem.2018.12.010>
- *[185] Wörmer, L., Wendt, J., Alfken, S., Wang, J.-X., Elvert, M., Heuer, V.B., **Hinrichs, K.-U.** (2019) Towards multiproxy, ultra-high resolution molecular stratigraphy: Enabling laser-induced mass spectrometry imaging of diverse molecular biomarkers in sediments. *Organic Geochemistry*, 127, 136-145. <https://doi.org/10.1016/j.orggeochem.2018.11.009>
- *[184] Alfken, S., Wörmer, L., Lipp, J.S., Wendt, J., Taubner, H., Schimmelmann, A., **Hinrichs, K.-U.** (2019) Micrometer scale imaging of sedimentary climate archives – Sample preparation for combined elemental and lipid biomarker analysis. *Organic Geochemistry*, 127, 81-91. <https://doi.org/10.1016/j.orggeochem.2018.11.002>

- [183] Schubotz, F., Xie, S., Lipp, J.S., **Hinrichs, K.U.**, Wakeham, S.G. (2018) Intact polar lipids in the water column of the eastern tropical North Pacific: Abundance and structural variety of non-phosphorus lipids. *Biogeosciences*, 15, 6481-6501. <https://doi.org/10.5194/bg-15-6481-2018>
- [182] Tanikawa, W., Tadai, O., Morono, Y., **Hinrichs, K.-U.**, Inagaki, F. (2018) Geophysical constraints on microbial biomass in subseafloor sediments and coal seams down to 2.5 km off Shimokita Peninsula, Japan. *Progress in Earth and Planetary Science*, 5, 58. <https://doi.org/10.1186/s40645-018-0217-2>
- *[181] Evans, T.W., Könneke, M., Lipp, J.S., Adhikari, R.R., Taubner, H., Elvert, M., **Hinrichs, K.U.** (2018) Lipid biosynthesis of *Nitrosopumilus maritimus* dissected by lipid specific radioisotope probing (lipid-RIP) under contrasting ammonium supply. *Geochimica et Cosmochimica Acta*, 242, 51-63. <https://doi.org/10.1016/j.gca.2018.09.001>
- [180] Gruen, D.S., Wang, D.T., Könneke, M., Topcuoglu, B.D., Stewart, L.C., Goldhammer, T., Holden, J.F., **Hinrichs, K.-U.**, Ono, S. (2018) Experimental investigation on the controls of clumped isotopologue and hydrogen isotope ratios in microbial methane. *Geochimica et Cosmochimica Acta*, 237, 339-356. <https://doi.org/10.1016/j.gca.2018.06.029>
- [179] Ijiri, A., Inagaki, F., Kubo, Y., Adhikari, R.R., Hattori, S., Hoshino, T., Imachi, H., Kawagucci, S., Morono, Y., Ohtomo, Y., Ono, S., Sakai, S., Takai, K., Toki, T., Wang, D.T., Yoshinaga, M.Y., Arnold, G.J., Ashi, J., Case, D.H., Feseker, T., **Hinrichs, K.-U.**, Ikegawa, Y., Ikebara, M., Kallmeyer, J., Kumagai, H., Lever, M.A., Morita, Nakamura, S., Nakamura, Y., Nishizawa, M., Orphan, V.J., Røy, H., Schmidt, F., Tani, A., Tanikawa, W., Terada, T., Tomaru, H., Tsuji, T., Tsunogai, U., Yamaguchi, Y.T., Yoshida, N. (2018) Deep-biosphere methane production stimulated by geofluids in the Nankai accretionary complex. *Science Advances*, 4(6), eaao4631. <https://doi.org/10.1126/sciadv.aao4631>
- [178] Yu, T., Wu, W., Liang, W., Lever, M.A., **Hinrichs, K.-U.**, Wang, F.P. (2018) Growth of sedimentary Bathyarchaeota on lignin as an energy source. *Proceedings of the National Academy of Sciences, USA*, 115, 6022-6027. <https://doi.org/10.1073/pnas.1718854115>
- *[177] Wu, W., Meador, T., **Hinrichs, K.-U.** (2018) Production and turnover of microbial organic matter in surface intertidal sediments. *Organic Geochemistry*, 121, 104-113. <https://doi.org/10.1016/j.orggeochem.2018.04.006>
- *[176] Becker, K.W., Elling, F.J., Schröder, J.M., Lipp, J.S., Goldhammer, T., Zabel, M., Elvert, M., Overmann, J., **Hinrichs, K.-U.** (2018) Isoprenoid quinones resolve the stratification of microbial redox processes in a biogeochemical continuum from the photic zone to deep anoxic sediments of the Black Sea. *Applied and Environmental Microbiology*, 84 (10), e02736-17. <http://dx.doi.org/10.1128/AEM.02736-17>
- *[175] Zhuang, G.-C., Heuer, V.B., Lazar, C.S., Goldhammer, T., Wendt, J., Samarkin, V.A., Elvert, M., Teske, A.P., Joye, S.B., **Hinrichs, K.-U.** (2018) Relative importance of methylotrophic methanogenesis in sediments of the Western Mediterranean Sea. *Geochimica et Cosmochimica Acta*, 224, 171-186. <https://doi.org/10.1016/j.gca.2017.12.024>
- [174] Hurley, S.I., Lipp, J.S., Close, H.G., **Hinrichs, K.-U.**, Pearson, A. (2018) Distribution and export of isoprenoid tetraether lipids in suspended particulate matter from the water column of the Western Atlantic Ocean. *Organic Geochemistry*, 116, 90-102. <https://doi.org/10.1016/j.orggeochem.2017.11.010>
- *[173] Liu, X.L., Lipp, J.S., Birgel, D., Summons, R.E., **Hinrichs, K.-U.** (2018) Predominance of parallel glycerol arrangement in archaeal tetraethers from marine sediments: Structural features revealed from degradation products. *Organic Geochemistry*, 115, 12-23. <http://dx.doi.org/10.1016/j.orggeochem.2017.09.009>
- [172] Natalicchio, M., Birgel, D., Peckmann, J., Lozar, F., Carnevale, G., Liu, X.L., **Hinrichs, K.-U.**, Dela Pierre, F. (2017) An archaeal biomarker record of paleoenvironmental change across the onset of the Messinian salinity crisis in the absence of evaporites (Piedmont Basin, Italy). *Organic Geochemistry*, 113, 242-253. <https://doi.org/10.1016/j.orggeochem.2017.08.014>
- [171] Sollich, M., Yoshinaga, M.Y., Häusler, S., Price, R.E., **Hinrichs, K.-U.**, Bühring, S.I. (2017) Heat stress dictates microbial lipid composition along a thermal gradient in marine sediments. *Frontiers in Microbiology*, 8:1550. <http://dx.doi.org/10.3389/fmicb.2017.01550>

- *[170] Zhuang, G.-C., Lin, Y.-S., Bowles, M.W., Heuer, V.B., Lever, M.A., Elvert, M., **Hinrichs, K.-U.** (2017) Distribution and isotopic composition of trimethylamine, dimethylsulfide and dimethylsulfoniopropionate in marine sediments. *Marine Chemistry*, 196, 35-46. <https://doi.org/10.1016/j.marchem.2017.07.007>
- *[169] Evans, T.W., Wörmer, L., Lever, M.A., Lipp, J.S., Lagostina, L., Lin, Y-S, Jørgensen, B.B., **Hinrichs, K.-U.** (2017) Size and composition of subseafloor microbial community in the Benguela upwelling area examined from intact membrane lipid and DNA analysis. *Organic Geochemistry*, 111, 86-100. <https://doi.org/10.1016/j.orggeochem.2017.06.008>
- [168] Meador, T.B., Goldenstein, N.I., Gogou, A., Herut, B., Psarra, S., Tsagarakis, T.M., **Hinrichs, K.U.** (2017) Planktonic lipidome responses to aeolian dust input in low-biomass oligotrophic marine mesocosms. *Frontiers in Marine Science*, 4, 113. <https://doi.org/10.3389/fmars.2017.00113>
- [167] Gomez-Saez, G.V., Ristova, P.P., Sievert, S.M., Elvert, M., **Hinrichs, K.U.**, Bühring, S.I. (2017) Relative importance of chemoautotrophy for primary production in a light exposed marine shallow hydrothermal system. *Frontiers in Microbiology*, 8:702. <https://doi.org/10.3389/fmicb.2017.00702>
- *[166] Elling, F.J., Könneke, M., Nicol, G.W., Stieglmeier, M., Bayer, B., Speck, E., de la Torre, J.R., Becker, K.W., Thomm, M., Prosser, J.I., Herndl, G.J., Schleper, C., **Hinrichs, K.-U.** (2017) Chemotaxonomic characterization of the thaumarchaeal lipidome. *Environmental Microbiology*, 19(7), 2681-2700. <https://doi.org/10.1111/1462-2920.13759>
- *[165] Lin, Y.S., Koch, B.P., Feseker, T., Zervogel, K., Goldhammer, T., Schmidt, F., Witt, M., Kellermann, M.Y., Zabel, M., Teske, A., **Hinrichs, K.-U.** (2017) Near-surface heating of young rift sediment causes mass production and discharge of reactive dissolved organic matter. *Scientific Reports* 7, Article #: 44864. <https://doi.org/10.1038/srep44864>
- *[164] Schmidt, F., Koch, B.P., Goldhammer, T., Elvert, M., Witt, M., Lin, Y.S., Wendt, J., Zabel, M., Heuer, V.B., **Hinrichs, K.-U.** (2017) Unraveling signatures of biogeochemical processes and the depositional setting in the molecular composition of pore water DOM across different marine environments. *Geochimica et Cosmochimica Acta*, 207, 57-80. <https://doi.org/10.1016/j.gca.2017.03.005>
- *[163] Huguet, A., Meador, T.B., Laggoun-Défarge, F., Könneke, M., Wu, W., Derenne, S., **Hinrichs, K.-U.** (2017) Production rates of bacterial tetraether lipids and fatty acids in peatland under varying oxygen concentrations. *Geochimica et Cosmochimica Acta*, 203, 103-116. <https://doi.org/10.1016/j.gca.2017.01.012>
- [162] Tavormina, P.L., Kellermann, M.Y., Antony, C.P., Tocheva, E.I., Dalleska, N.F., Jensen, A.J., Valentine, D.L., **Hinrichs, K.-U.**, Jensen, G.J., Dubilier, N., Orphan, V.J. (2017) Starvation and recovery in the deep-sea methanotroph *Methyloprofundus sedimenti*. *Molecular Microbiology*, 103(2), 242-252. <https://doi.org/10.1111/mmi.13553>
- [161] Liu, C.H., Huang, X., Xie, T.N., Duan, N., Xue, Y.R., Zhao, T.X., Lever, M.A., **Hinrichs, K.-U.**, Inagaki, F. (2017) Exploration of cultivable fungal communities in deep coal-bearing sediments from ~ 1.3 to 2.5 km below the ocean floor. *Environmental Microbiology*, 19, 803-818. <https://doi.org/10.1111/1462-2920.13653>
- [160] Glombitza, C., Adhikari, R.R., Riedinger, N., Gilhooly III, W.P., **Hinrichs, K.-U.**, Inagaki, F. (2016) Microbial sulfate reduction potential in coal-bearing sediments down to ~2.5 km below the seafloor off Shimokita Peninsula, Japan. *Frontiers in Microbiology*, 7:1576. <https://doi.org/10.3389/fmicb.2016.01576>
- [159] Braun, S., Morono, Y., Becker, K.W., **Hinrichs, K.-U.**, Kjeldsen, K.U., Jørgensen, B.B., Lomstein, B.A. (2016) Cellular content of biomolecules in sub-seafloor microbial communities. *Geochimica et Cosmochimica Acta*, 188, 330-351. <https://doi.org/10.1016/j.gca.2016.06.019>
- [158] Hurley, S.J., Elling, F.J., Könneke, M., Buchwald, C., Wankel, S.D., Santoro, A.E., Lipp, J.S., **Hinrichs, K.-U.**, Pearson, A., (2016) Influence of ammonia oxidation rate on thaumarchaeal lipid composition and the TEX₈₆ proxy. *Proceedings of the National Academy of Sciences, USA*, 113 (28), 7762-7767. <https://doi.org/10.1073/pnas.1518534113>
- [157] Hamann, E., Gruber-Vodicka, H., Kleiner, M., Tegetmeyer, H.E., Riedel, D., Littmann, S., Chen, J.W., Milucka, J., Viehweger, B., Becker, K.W., Dong, X.L., Stairs, C.W., **Hinrichs, K.-U.**, Brown, M.W., Roger, A.J., Strous, M. (2016) Environmental Breviatea harbour mutualistic *Arcobacter* epibionts. *Nature*, 534, 254-258. <https://doi.org/10.1038/nature18297>

- [156] Elvert, M., Pohlman, J.W., Becker, K.W., Gaglioti, B., **Hinrichs, K.-U.**, Wooller, M.J. (2016) Methane turnover and environmental change from Holocene lipid biomarker records in a thermokarst lake in Arctic Alaska. *The Holocene*, 26, 1766-1777. <https://doi.org/10.1177/0959683616645942>
- *[155] Becker, K.W., Elling, F.J., Yoshinaga, M.Y., Söllinger, A., Urich, T., **Hinrichs, K.-U.** (2016) Unusual butane- and pentanetriol-based tetraether lipids in *Methanomassiliicoccus luminyensis*, a representative of the seventh order of methanogens. *Applied Environmental Microbiology*, 82, 4505-4516. <https://doi.org/10.1128/AEM.00772-16>
- *[154] Zhuang, G.C., Elling, F.J., Nigro, L.M., Samarkin, V., Joye, S.B., Teske, A., **Hinrichs, K.-U.** (2016) Multiple evidences for methylotrophic methanogenesis as the dominant methanogenic pathway in deep-sea hypersaline sediments. *Geochimica et Cosmochimica Acta*, 187, 1-20. <https://doi.org/10.1016/j.gca.2016.05.005>
- *[153] Liu, X.-L., Birgel, D., Elling, F.J., Sutton, P.A., Lipp, J.S., Zhu, R., Zhang, C., Könneke, M., Peckmann, J., Rowland, S.J., Summons, R.E., **Hinrichs, K.-U.** (2016) From ether to acid: A plausible degradation pathway of glycerol dialkyl glycerol tetraethers. *Geochimica et Cosmochimica Acta*, 183, 138-152. <https://doi.org/10.1016/j.gca.2016.04.016>
- [152] Gagen, E.J., Yoshinaga, M., Garcia Prado, F., **Hinrichs, K.-U.**, Thomm, M. (2016) The proteome and lipidome of *Thermococcus kodakarensis* across the stationary phase. *Archaea*, Vol. 2016, Article ID 5938289. <https://doi.org/10.1155/2016/5938289>
- *[151] Zhu, R., Versteegh, G.J.M., **Hinrichs, K.-U.** (2016) Detection of microbial biomass in subseafloor sediment by pyrolysis-GC/MS. *Journal of Analytical and Applied Pyrolysis*, 118, 175-180. <https://doi.org/10.1016/j.jaap.2016.02.002>
- *[150] Kellermann, M.Y., Yoshinaga, M.Y., Wegener, G., Krukenberg, V., **Hinrichs, K.-U.** (2016) Tracing the production and fate of individual archaeal intact polar lipids using stable isotope probing. *Organic Geochemistry*, 95, 13-20. <https://doi.org/10.1016/j.orggeochem.2016.02.004>
- *[149] Zhu, C., Wakeham, S.G., Elling, F.J., Basse, A., Mollenhauer, G., Versteegh, G.J.M., Könneke, M., **Hinrichs, K.-U.** (2016) Stratification of archaeal membrane lipids in the ocean and implications for adaptation and chemotaxonomy of planktonic archaea. *Environmental Microbiology*, 18, 4324-4336. <https://doi.org/10.1111/1462-2920.13289>
- [148] Baker, B.J., Saw, J.H., Lind, A.E., Lazar, C.S., **Hinrichs, K.-U.**, Teske, A.P., Ettema, T.J.G. (2016) Genomic inference of the metabolism of cosmopolitan subsurface Archaea, Hadesarchaea. *Nature Microbiology*, 1:16032. <https://doi.org/10.1038/nmicrobiol.2016.32>
- [147] Seitz, K.W., Lazar, C.S., **Hinrichs, K.-U.**, Teske, A.P., Baker, B.J. (2016) Genomic reconstruction of a novel, deeply branched sediment archaeal phylum with pathways for acetogenesis and sulfur reduction. *The ISME Journal*, 10, 1751-7362. <https://doi.org/10.1038/ismej.2015.233>
- [146] Lazar, C.S., Baker, B.J., Seitz, K., Hyde, A.S., Dick, G.J., **Hinrichs, K.-U.**, Teske, A.P. (2016) Genomic evidence for distinct carbon substrate preferences and ecological niches of Bathyarchaeota in estuarine sediments. *Environmental Microbiology*, 18, 1200-1211. <https://doi.org/10.1111/1462-2920.13142>
- *[145] Elling, F.J., Becker, K.W., Könneke, M., Schröder, J.M., Kellermann, M.Y., Thomm, M., **Hinrichs, K.-U.** (2016) Respiratory quinones in Archaea: Phylogenetic distribution and application as biomarkers in the marine environment. *Environmental Microbiology*, 18, 692-707. <https://doi.org/10.1111/1462-2920.13086>
- [144] Dowell, F., Cardman, Z., Dasarathy, S., Kellermann, M.Y., Lipp, J.S., Ruff, S. E., Biddle, J.F., McKay, L.J., MacGregor, B.J., Lloyd, K.G., Albert, D.B., Mendlovitz, H., **Hinrichs, K.-U.**, Teske, A. (2016) Microbial communities in methane- and short chain alkane-rich hydrothermal sediments of Guaymas Basin. *Frontiers in Microbiology*, 7:17. <https://doi.org/10.3389/fmicb.2016.00017>
- *[143] Wörmer, L., Lipp, J.S., **Hinrichs, K.-U.** (2015) Comprehensive analysis of microbial lipids in environmental samples through HPLC-MS protocols. In: McGinity, T., Timmis, K., Nogales, B. (eds) *Hydrocarbon and Lipid Microbiology Protocols*. Springer Protocols Handbooks. Springer, Berlin, Heidelberg. https://doi.org/10.1007/8623_2015_183

- *[142] Elling, F.J., Könneke, M., Mußmann, M., Greve, A., **Hinrichs, K.-U.** (2015) Influence of temperature, pH, and salinity on membrane lipid composition and TEX₈₆ of marine planktonic thaumarchaeal isolates. *Geochimica et Cosmochimica Acta*, 171, 238-255. <https://doi.org/10.1016/j.gca.2015.09.004>
- [141] Oni, O.E., Schmidt, F., Miyatake, T., Kasten, S., Witt, M., **Hinrichs, K.-U.**, Friedrich, M.W. (2015) Microbial communities and organic matter composition in surface and subsurface sediments of the Helgoland mud area, North Sea. *Frontiers in Microbiology*, 6:1290. <https://doi.org/10.3389/fmicb.2015.01290>
- [140] Yao, M., Elling, F.J., Jones, C.A., Nomosatryo, S., Long, C.P., Crowe, S.A., Antoniewicz, M.R., **Hinrichs, K.-U.**, Maresca, J.A. (2016) Heterotrophic bacteria from an extremely phosphate-poor lake have conditionally reduced phosphorus demand and utilize diverse sources of phosphorus. *Environmental Microbiology*, 18, 656-667. <https://doi.org/10.1111/1462-2920.13063>
- [139] Golyshina, O.V., Lünsdorf, H., Kublanov, I.V., Goldenstein, N.I., **Hinrichs, K.-U.**, Golyshin P.N. (2016) The novel, extremely acidophilic, cell wall-deficient archaeon *Cuniculiplasma divulgatum* gen. nov., sp. nov. represent a new Family of Cuniculiplasmataceae fam. nov., order Thermoplasmatales. *International Journal of Systematic and Evolutionary Microbiology*, 66, 332-340. <https://doi.org/10.1099/ijsem.0.000725>
- *[138] Lü, X., Liu, X.L., Elling, F.J., Yang, H., Xie, S., Song, J., Li, X., Yuan, H., Li, N., **Hinrichs, K.-U.** (2015) Hydroxylated isoprenoid GDGTs in Chinese coastal seas and their potential as a paleotemperature proxy for mid-to-low latitude marginal seas. *Organic Geochemistry*, 89-90, 31-43. <https://doi.org/10.1016/j.orggeochem.2015.10.004>
- *[137] Inagaki, F., **Hinrichs, K.-U.**, Kubo, Y., Bowles, M. W., Heuer, V. B., Hong, W.-L., Hoshino, T., Ijiri, A., Imachi, H., Ito, M., Kaneko, M., Lever, M. A., Lin, Y.-S., Methé, B. A., Morita, S., Morono, Y., Tanikawa, W., Bihan, M., Bowden, S. A., Elvert, M., Glombitza, C., Gross, D., Harrington, G. J., Hori, T., Li, K., Limmer, D., Liu, C.-H., Murayama, M., Ohkouchi, N., Ono, S., Park, Y.-S., Phillips, S. C., Prieto-Mollar, X., Purkey, M., Riedinger, N., Sanada, Y., Sauvage, J., Snyder, G., Susilawati, R., Takano, Y., Tasumi, E., Terada, T., Tomaru, H., Trembath-Reichert, E., Wang, D. T., Yamada, Y. (2015) Exploring deep microbial life down to ~2.5 km below the ocean floor. *Science*, 349, 420-424. <https://doi.org/10.1126/science.aaa6882> (Inagaki and Hinrichs as joint study leaders and corresponding authors)
- *[136] Yoshinaga, M.Y., Lazar, C.S., Elvert, M., Lin, Y.S., Zhu, C., Heuer, V.B., Teske, A., **Hinrichs, K.-U.** (2015) Possible roles of uncultured archaea in carbon cycling in methane-seep sediments. *Geochimica et Cosmochimica Acta*, 164, 35-52. <https://doi.org/10.1016/j.gca.2015.05.003>
- [135] Segarra, K.E.A., Schubotz, F., Samarkin, V., Yoshinaga, M.Y., **Hinrichs, K.-U.**, Joye, S.B. (2015) High rates of anaerobic methane oxidation in freshwater wetlands reduce potential atmospheric methane emissions. *Nature Communications*, 6, 7477. <https://doi.org/10.1038/ncomms8477>
- *[134] Becker, K.W., Lipp, J.S., Versteegh, G.J.M., Wörmer, L.P., **Hinrichs, K.-U.** (2015) Rapid and simultaneous analysis of three molecular sea surface temperature proxies and application to sediments from the Sea of Marmara. *Organic Geochemistry*, 85, 42-53. <https://doi.org/10.1016/j.orggeochem.2015.04.008>
- [133] Coban, H., Miltner, A., Elling, F.J., **Hinrichs, K.-U.**, Kästner, M. (2015) The contribution of biogas residues to soil organic matter formation and CO₂ emissions in an arable soil. *Soil Biology and Biochemistry*, 86, 108-115. <https://doi.org/10.1016/j.soilbio.2015.03.023>
- [132] Wang, D.T., Gruen, D.S., Sherwood Lollar, B., **Hinrichs, K.-U.**, Stewart, L.C., Holden, J.F., Hristov, A.N., Pohlman, J.W., Morrill, P.L., Könneke, M., Delwiche, K.B., Reeves, E., Sutcliffe, C.N., Ritter, D.J., Seewald, J.S., McIntosh, J.C., Hemond, H.F., Kubo, M.D., Cardace, D., Hoehler, T.M., Ono, S. (2015) Nonequilibrium clumped isotope signals in microbial methane. *Science*, 348, 428-431. <https://doi.org/10.1126/science.aaa4326>
- *[131] Yoshinaga, M.Y., Gagen, E.J., Wörmer, L.P., Broda, N.K., Meador, T.B., Wendt, J., Thomm, M., **Hinrichs, K.-U.** (2015) *Methanothermobacter thermautotrophicus* modulates its membrane lipids in response to hydrogen and nutrient availability. *Frontiers in Microbiology*, 6:5. <https://doi.org/10.3389/fmicb.2015.00005>
- *[130] Meador, T.B., Bowles, M.W., Lazar, C.S., Zhu, C., Teske, A., **Hinrichs, K.-U.** (2015) The archaeal lipidome in estuarine sediment dominated by members of the Miscellaneous Crenarchaeotal Group. *Environmental Microbiology*, 7, 2441-2458. <https://doi.org/10.1111/1462-2920.12716>
- *[129] Lazar, C.S., Biddle, J.F., Meador, T.B., Blair, N., **Hinrichs, K.-U.**, Teske, A.P. (2015) Environmental controls on intragroup diversity of the uncultured benthic archaea of the Miscellaneous Crenarchaeotal Group lineage

- naturally enriched in anoxic sediments of the White Oak River Estuary (North Carolina, USA). *Environmental Microbiology*, 17, 2228-2238. <https://doi.org/10.1111/1462-2920.12659>
- [128] Beulig, F., Heuer, V.B., Akob, D., Viehweger, B., Elvert, M., Herrmann, M., **Hinrichs, K.-U.**, Küsel, K. (2015) Carbon flow from volcanic CO₂ into soil microbial communities of a wetland mofette. *The ISME Journal*, 9, 746-759. <https://doi.org/10.1038/ismej.2014.148>
- [127] Probst, A.J., Weinmaier, T., Raymann, K., Perras, A., Emerson, J.B., Rattai, T., Wanner, G., Klingl, A., Berg, I.A., Yoshinaga, M.Y., Viehweger, B., **Hinrichs, K.-U.**, Thomas, B.C., Meck, S., Auerbach, A.K., Heise, M., Schintlmeister, A., Schmid, M., Wagner, M., Gribaldo, S., Banfield, J.F., Moissl-Eichinger, C. (2014) Biology of a widespread uncultivated archaeon that contributes to carbon fixation in the subsurface. *Nature Communications*, 5, 5497. <https://doi.org/10.1038/ncomms6497>
- *[126] Wörmer, L., Elvert, M., Fuchser, J., Lipp, J.S., Buttigieg, P.L., Zabel, M., **Hinrichs, K.-U.** (2014) Ultra-high-resolution paleoenvironmental records via direct laser-based analysis of lipid biomarkers in sediment core samples. *Proceedings of the National Academy of Sciences, USA*, 111(44), 15669-15674. <https://doi.org/10.1073/pnas.1405237111>
- [125] Birgel, D., Guido, A., Liu, X.L., **Hinrichs, K.-U.**, Gier, S., Peckmann, J. (2014) Hypersaline conditions during deposition of the Calcare di Base revealed from archaeal di- and tetraether inventories. *Organic Geochemistry*, 77, 11-21. <https://doi.org/10.1016/j.orggeochem.2014.09.002>
- *[124] Zhu, R., Lin, Y.S., Lipp, J.S., Meador, T.B., **Hinrichs, K.-U.** (2014) Optimizing sample pretreatment for compound-specific stable carbon isotopic analysis of amino sugars in marine sediment. *Biogeosciences*, 11, 4869-4880. <https://doi.org/10.5194/bg-11-4869-2014>
- *[123] Liu, X.L., Zhu, C., Wakeham, S.G., **Hinrichs, K.-U.** (2014) In-situ production of branched glycerol dialkyl glycerol tetraethers in anoxic marine water columns. *Marine Chemistry*, 166, 1-8. <https://doi.org/10.1016/j.marchem.2014.08.008>
- [122] Feng, D., Birgel, D., Peckmann, J., Roberts, H.H., Joye, S.B., Sassen, R., Liu, X.L., **Hinrichs, K.-U.**, Chen, D. (2014) Time integrated variation of sources of fluids and seepage dynamics archived in authigenic carbonates from Gulf of Mexico Gas Hydrate Seafloor Observatory. *Chemical Geology*, 385, 129-139. <https://doi.org/10.1016/j.chemgeo.2014.07.020>
- *[121] Elling, F.J., Könneke, M., Lipp, J.S., Becker, K.W., Gagen, E.J., **Hinrichs, K.-U.** (2014) Effects of growth phase on the membrane lipid composition of the thaumarchaeon *Nitrosopumilus maritimus* and their implications for archaeal lipid distributions in the marine environment. *Geochimica et Cosmochimica Acta*, 141, 579-597. <https://doi.org/10.1016/j.gca.2014.07.005>
- *[120] Schmidt, F., Koch, B.P., Witt, M., **Hinrichs, K.-U.** (2014) Extending the analytical window of dissolved organic matter in sediments by aqueous Soxhlet extraction. *Geochimica et Cosmochimica Acta*, 141, 83-96. <https://doi.org/10.1016/j.gca.2014.06.009>
- *[119] Reeves, E.P., Yoshinaga, M.Y., Pjevac, P., Goldenstein, N., Peplies, J., Meyerdierks, A., Amann, R.I., Bach, W., **Hinrichs, K.-U.** (2014) Microbial lipids reveal carbon assimilation patterns on hydrothermal sulfide chimneys. *Environmental Microbiology*, 16, 3515-3532. <https://doi.org/10.1111/1462-2920.12525>
- *[118] Bowles, M.W., Mogollón, J.M., Kasten, S., Zabel, M., **Hinrichs, K.-U.** (2014) Global rates of marine sulfate reduction and implications for sub-seafloor metabolic activities. *Science*, 344, 889-891. <https://doi.org/10.1126/science.1249213>
- [117] Basse, A., Zhu, C., Versteegh, G., Fischer, G., **Hinrichs, K.-U.**, Mollenhauer, G. (2014) Distribution of intact and core tetraether lipids in water column profiles of suspended particulate matter off Cape Blanc, NW Africa. *Organic Geochemistry*, 72, 1-13. <https://doi.org/10.1016/j.orggeochem.2014.04.007>
- *[116] Xie, S., Liu, X.L., Schubotz, F., Wakeham, S.G., **Hinrichs, K.-U.** (2014) Distribution of glycerol ether lipids in the oxygen minimum zone of the Eastern Tropical North Pacific Ocean. *Organic Geochemistry*, 71, 60-71. <https://doi.org/10.1016/j.orggeochem.2014.04.006>
- *[115] Zhu, C., Yoshinaga, M.Y., Peters, C.A., Liu, X.L., Elvert, M., **Hinrichs, K.-U.** (2014) Identification and significance of unsaturated archaeal tetraether lipids in marine sediments. *Rapid Communications in Mass Spectrometry*, 28, 1144-1152. <https://doi.org/10.1002/rcm.6792>

- [114] Felden, J., Ruff, S.E., Ertefai, T., Inagaki, T., **Hinrichs, K.-U.**, Wenzhöfer, F. (2014) Anaerobic methanotrophic community of a 5346-m-deep vesicomyid clam colony in the Japan Trench. *Geobiology*, 12, 183-199. <https://doi.org/10.1111/gbi.12078>
- *[113] Meador, T.B., Zhu, C., Elling, F., Könneke, M., **Hinrichs, K.-U.** (2014) Identification of isoprenoidal glycosidic glycerol dibiphytanol diethers and indications for their biosynthetic origin. *Organic Geochemistry*, 69, 70-75. <https://doi.org/10.1016/j.orggeochem.2014.02.005>
- *[112] Zhuang, G.C., Lin, Y.S., Elvert, M., Heuer, V.B., **Hinrichs, K.-U.** (2014) Gas chromatographic analysis of methanol and ethanol in marine sediment pore waters: Validation and implementation of three pretreatment techniques. *Marine Chemistry*, 160, 82-90. <https://doi.org/10.1016/j.marchem.2014.01.011>
- [111] Yoshinaga, M.Y., Holler, T., Goldhammer, T., Wegener, G., Pohlman, J.W., Brunner, B., Kuypers, M.M.M., **Hinrichs, K.-U.**, Elvert, M. (2014) Carbon isotope equilibration during sulphate-limited anaerobic oxidation of methane. *Nature Geosciences* 7, 190-194. <https://doi.org/10.1038/ngeo2069>
- *[110] Meador, T. B, Gagen, E.J., Loscar, M.E., Goldhammer, T., Yoshinaga, M.Y., Wendt, J., Thomm, M., **Hinrichs, K.-U.** (2014) Thermococcus kodakarensis modulates its polar lipids and elemental composition according to growth stage and phosphate availability. *Frontiers in Microbiology* 5:10. <https://doi.org/10.3389/fmicb.2014.00010>
- *[109] Zhu, C., Meador, T.B., Dummann, W., **Hinrichs, K.-U.** (2014) Identification of unusual butanetriol dialkyl glycerol tetraether and pentanetriol dialkyl glycerol tetraether lipids in marine sediments. *Rapid Communications in Mass Spectrometry*, 28, 332-338. <https://doi.org/10.1002/rcm.6792>
- [108] Wang, F.P., Zhang, Y., Chen, Y., He, Y., Qi, J., **Hinrichs, K.-U.**, Zhang, X.X., Xiao, X., Boon, N. (2014) Methanotrophic archaea possessing diverging methane oxidizing and electron transporting pathways. *The ISME Journal*, 8, 1069-1078. <https://doi.org/10.1038/ismej.2013.212>
- [107] Imachi, H., Sakai, S., Lipp, J.S., Miyazaki, M., Saito, Y., Yamanaka, Y., **Hinrichs, K.-U.**, Inagaki, F., Takai, K. (2014) *Pelolinea submarina* gen. nov., sp. nov., an anaerobic, filamentous bacterium of the phylum *Chloroflexi* isolated from subseafloor sediment offshore Shimokita, Japan. *International Journal of Systematic and Evolutionary Microbiology*, 64, 812-818. <https://doi.org/10.1099/ijss.0.057547-0>
- [106] Bühring, S.I., Kamp, A., Wörmer, L.P., Ho, S., **Hinrichs, K.-U.** (2014) Functional structure of laminated microbial sediments from a supratidal sandy beach of the German Wadden Sea (St. Peter-Ording). *Journal of Sea Research*, 85, 463-473. <https://doi.org/10.1016/j.seares.2013.08.001>
- [105] Schouten, S., Hopmans, E.C., Rosell-Mele, A., Pearson, A., Adam, P., Bauersachs, T., Bard, E., Bernasconi, S.M., Bianchi, T.S., Brocks, J.J., Carlson, L.T., Castaneda, I.S., Derenne, S., Dogru Selver, A., Dutta, K., Eglington, T., Fosse, C., Galy, V., Grice, K., **Hinrichs, K.-U.**, Huang, Y., Huguet, A., Huguet, C., Hurley, S., Ingalls, A., Guodong, J., Keely, B., Knappy, C., Kondo, M., Krishnan, S., Lincoln, S., Lipp, J., Mangelsdorf, K., Martinez-Garcia, A., Menot, G., Mets, A., Mollenhauer, G., Ohkouchi, N., Ossebar, J., Pagani, M., Pancost, R.D., Pearson, E.J., Peterse, F., Reichart, G.-J., Schaeffer, P., Schmitt, G., Schwark, L., Shah, S.R., Smith, R.W., Smittenberg, R.H., Summons, R.E., Takano, Y., Talbot, H.M., Taylor, K.W.R., Tarozzo, R., Uchida, M., van Dongen, B.E., van Mooy, B.A.S., Wang, J., Warren, C., Weijers, J.W.H., Werne, J.P., Woltering, M., Xie, S., Yamamoto, M., Yang, H., Zhang, C.L., Zhang, Y., Zhao, M., Sinninghe Damste, J.S. (2013) An interlaboratory study of TEX₈₆ and BIT analysis of sediments, extracts and standard mixtures. *Geochemistry, Geophysics, Geosystems*, 14, 5263-5285. <https://doi.org/10.1002/2013GC004904>
- [104] Contreras, S., Meister, P., Liu, B., Prieto-Mollar, X., **Hinrichs, K.-U.**, Khalili, A., Ferdelman, T.G., Kuypers, M.M.M., Jørgensen, B.B. (2013) Cyclic 100-ka (glacial-interglacial) migration of subseafloor redox zonation on the Peruvian shelf. *Proceedings of the National Academy of Sciences, USA*, 110(45), 18098-18103. <https://doi.org/10.1073/pnas.1305981110>
- *[103] Zhu, R., Evans, T.W., Zhu, C., **Hinrichs, K.-U.** (2013) Improved sensitivity of sedimentary phospholipid analysis resulting from a novel extract cleanup strategy. *Organic Geochemistry*, 65, 46-52. <https://doi.org/10.1016/j.orggeochem.2013.10.002>
- *[102] Zhu, C., Lipp, J.S., Wörmer, L., Becker, K.W., Schröder, J., **Hinrichs, K.-U.** (2013) Comprehensive glycerol ether lipid fingerprints through a novel reverse-phase liquid chromatography-mass spectrometry protocol. *Organic Geochemistry*, 65, 53-62. <https://doi.org/10.1016/j.orggeochem.2013.09.012>

- *[101] Gagen, E.J., Huber, H., Meador, T., **Hinrichs, K.-U.**, Thomm, M. (2013) A novel cultivation-based approach for understanding the Miscellaneous Crenarchaeotic Group (MCG) Archaea from sedimentary ecosystems. *Applied and Environmental Microbiology*, 79 (20), 6400-6406. <https://doi.org/10.1128/AEM.02153-13>
- [100] Schubotz, F., Meyer-Dombard, D.R., Bradley, A.S., Fredricks, H.F., **Hinrichs, K.-U.**, Shock, E.L., Summons, R.E. (2013) Spatial and temporal variability of biomarkers and microbial diversity reveal metabolic and community flexibility in streamer biofilm communities in the Lower Geyser Basin, Yellowstone National Park. *Geobiology*, 11 (6), 549-569. <https://doi.org/10.1111/gbi.12051>
- [99] Zhang, C.L., Wang, J., Dodsworth, J., Williams, A., Zhu, C., **Hinrichs, K.-U.**, Zheng, F., Hedlund, B.P. (2013) In situ production of branched glycerol dialkyl glycerol tetraethers in a Great Basin hot spring (USA). *Frontiers in Microbiology*, 4:181. <https://doi.org/10.3389/fmicb.2013.00181>
- *[98] Becker, K.W., Lipp, J.S., Zhu, C., Liu, X.L., **Hinrichs, K.-U.** (2013) An improved method for the analysis of archaeal and bacterial ether core lipids. *Organic Geochemistry*, 61, 34-44. <https://doi.org/10.1016/j.orggeochem.2013.05.007>
- [97] Raggi, L., Schubotz, F., **Hinrichs, K.-U.**, Dubilier, N., Petersen, J. (2013) Bacterial symbionts of Bathymodiolius mussels and Escarpia tubeworms from Chapopote, an asphalt seep in the southern Gulf of Mexico. *Environmental Microbiology*, 15, 1969-1987. <https://doi.org/10.1111/1462-2920.12051>
- [96] Grauel, A.-L., Leider, A., Goudeau, M.-L.S., Müller, I.A., Bernasconi, S.M., **Hinrichs, K.-U.**, de Lange, G.J., Zonneveld, K.A.F., Versteegh, G.J.M. (2013) What do SST proxies really tell us? A high-resolution multiproxy (UK'37, TEX^H86 and foraminifera δ¹⁸O) study in the Gulf of Taranto, central Mediterranean Sea. *Quaternary Science Reviews*, 73, 115-131. <https://doi.org/10.1016/j.quascirev.2013.05.007>
- [95] Leider, A., **Hinrichs, K.-U.**, Schefuss, E., Versteegh, G.J.M., (2013) Distribution and stable isotopes of plant waxes in marine surface sediments along a SE Italian transect and their potential to reconstruct the water balance. *Geochimica et Cosmochimica Acta*, 117, 16-32. <https://doi.org/10.1016/j.gca.2013.04.018>
- *[94] Xie, S., Lazar, C.S., Lin, Y.S., Teske, A., **Hinrichs, K.-U.** (2013) Ethane- and propane-producing potential and molecular characterization of an ethanogenic enrichment in anoxic estuarine sediment. *Organic Geochemistry*, 59, 37-48. <https://doi.org/10.1016/j.orggeochem.2013.03.001>
- *[93] Wörmer, L., Lipp, J.S., Schröder, J.M., **Hinrichs K.-U.** (2013) Application of two new LC-ESI-MS methods for improved detection of intact polar lipids (IPLs) in environmental samples. *Organic Geochemistry*, 59, 10-21. <https://doi.org/10.1016/j.orggeochem.2013.03.004>
- *[92] Xie, S., Lipp, J.S., Wegener, G., Ferdelman, T.G., **Hinrichs, K.-U.** (2013) Turnover of microbial lipids in the deep biosphere and growth of benthic archaeal populations. *Proceedings of the National Academy of Sciences, USA*, 110, 6010-6014. <https://doi.org/10.1073/pnas.1218569110>
- [91] Lever, M.A., Rouxel, O., Alt, J.C., Shimizu, N., Ono, S., Coggon, R.M., Shanks, W.C., Lapham, L., Elvert, M., Prieto-Mollar, X., **Hinrichs, K.-U.**, Inagaki, F., Teske, A. (2013) Evidence for microbial carbon and sulfur cycling in deeply buried ridge flank basalt. *Science*, 339, 1305-1308. <https://doi.org/10.1126/science.1229240>
- *[90] Lin, Y.S., Lipp, J.S., Elvert, M., Holler, T., **Hinrichs, K.-U.** (2013) Assessing production of the ubiquitous archaeal diglycosyl tetraether lipids in marine subsurface sediment using intramolecular stable isotope probing. *Environmental Microbiology*, 15, 1634-1646. <https://doi.org/10.1111/j.1462-2920.2012.02888.x>
- *[89] Kellermann, M.Y., Wegener, G., Elvert, M., Yoshinaga, M.Y., Lin, Y.S., Holler, T., Prieto Mollar, X., Knittel, K., **Hinrichs, K.-U.** (2012) Autotrophy as predominant mode of carbon fixation in thermophilic anaerobic methane-oxidizing microbial communities. *Proceedings of the National Academy of Sciences, USA*, 109, 19321-19326. <https://doi.org/10.1073/pnas.1208795109>
- *[88] Wörmer, L.-P., Cirés, S., Velázquez, D., Quesada, A., **Hinrichs, K.-U.** (2012) Cyanobacterial heterocyst glycolipids in cultures and environmental samples: Diversity and biomarker potential. *Limnology and Oceanography*, 57, 1775-1788. <https://doi.org/10.4319/lo.2012.57.6.1775>
- *[87] Liu, X.L., Summons, R.E., **Hinrichs, K.-U.** (2012) Extending the known range of glycerol ether lipids in the environment: Structural assignments based on MS/MS fragmentation patterns. *Rapid Communications in Mass Spectrometry*, 26, 2295-2302. <https://doi.org/10.1002/rcm.6355>

- [86] Hädrich, A., Heuer, V.B., Herrmann, M., **Hinrichs, K.-U.**, Küsel, K. (2012) Origin and fate of acetate in an acidic fen. *FEMS Microbiology Ecology*, 81, 339-354. <https://doi.org/10.1111/j.1574-6941.2012.01352.x>
- [85] Nuzzo, M., Elvert, M., Schmidt, M., Scholz, F., Reitz, A., **Hinrichs, K.-U.**, Hensen, C. (2012) Impact of hot fluid advection on hydrocarbon gas production and seepage in mud volcano sediments of thick Cenozoic deltas. *Earth and Planetary Science Letters*, 341-344, 139-157. <https://doi.org/10.1016/j.epsl.2012.05.009>
- [84] Könneke, M., Lipp, J.S., **Hinrichs, K.-U.** (2012) Carbon isotope fractionation by the marine ammonia-oxidizing archaeon *Nitrosopumilus maritimus*. *Organic Geochemistry*, 48, 21-24. <https://doi.org/10.1016/j.orggeochem.2012.04.007>
- *[83] Liu, X.L., Lipp, J.S., Simpson, J.S., Lin, Y.S., Summons, R.E., **Hinrichs, K.-U.** (2012) Mono- and dihydroxyl glycerol dibiphytanyl glycerol tetraethers in marine sediments: Identification of both core and intact polar lipid forms. *Geochimica et Cosmochimica Acta*, 89, 102-115. <https://doi.org/10.1016/j.gca.2012.04.053>
- [82] Wegener, G., Bausch, M., Holler, T., Thang, N.M., Prieto Mollar, X., Kellermann, M.Y., **Hinrichs, K.-U.**, Boetius, A. (2012) Assessing sub-seafloor microbial activity by combined stable isotope probing with deuterated water and ^{13}C -bicarbonate. *Environmental Microbiology*, 14, 1517-1527. <https://doi.org/10.1111/j.1462-2920.2012.02739.x>
- *[81] Bühring, S.I., Schubotz, F., Harms, C., Lipp, J.S., Amils, R., **Hinrichs, K.-U.** (2012) Lipid signatures of acidophilic microbial communities in an extreme acidic environment - Río Tinto, Spain. *Organic Geochemistry*, 47, 66-77. <https://doi.org/10.1016/j.orggeochem.2012.03.010>
- [80] Wooller, M.J., Pohlman, J.W., Gaglioti, B.V., Langdon, P., Jones, M., Walter Anthony, K.M., Becker, K.W., **Hinrichs, K.-U.**, Elvert, M. (2012) Reconstruction of past methane availability in an Arctic Alaska wetland indicates climate influenced methane release during the past ~12,000 years. *Journal of Paleolimnology*, 48, 27-42. <https://doi.org/10.1007/s10933-012-9591-8>
- *[79] Yoshinaga, M.Y., Wörmer, L., Elvert, M., **Hinrichs, K.-U.** (2012) Novel cardiolipins from uncultured methane-metabolizing archaea. *Archaea*, Article ID 832097. <https://doi.org/10.1155/2012/832097>
- [78] Wakeham, S.G., Turich, C., Schubotz, F., Podlaska, A., Li, X.N., Varela, R., Astor, Y., Saenz, J.P., Rush, D., Sinnighe Damste, J.S., Summons, R.E., Scranton, M.I., Taylor, G.T., **Hinrichs, K.-U.** (2012) Biomarkers, chemistry and microbiology show chemoautotrophy in a multilayer chemocline in the Cariaco Basin. *Deep Sea Research I*, 63, 133-156. <https://doi.org/10.1016/j.dsr.2012.01.005>
- *[77] Liu, X.L., Lipp, J.S., Schröder, J.M., Summons, R.E., **Hinrichs, K.-U.** (2012) Isoprenoidal glycerol dialkanol diethers: A series of novel archaeal lipids in marine sediments. *Organic Geochemistry*, 43, 50-55. <https://doi.org/10.1016/j.orggeochem.2011.11.002>
- *[76] Lin, Y.S., Heuer, V.B., Goldhammer, T., Kellermann, M.Y., Zabel, M., **Hinrichs, K.-U.** (2012) Towards constraining H_2 concentration in subseafloor sediment: A proposal for combined analysis by two distinct approaches. *Geochimica et Cosmochimica Acta*, 77, 186-201. <https://doi.org/10.1016/j.gca.2011.11.008>
- *[75] Kellermann, M.Y., Schubotz, F., Elvert, M., Lipp, J.S., Birgel, D., Prieto Mollar, X., Dubilier, N., **Hinrichs, K.-U.** (2012) Symbiont-host relationships in chemosynthetic mussels: A comprehensive lipid biomarker study. *Organic Geochemistry*, 43, 112-124. <https://doi.org/10.1016/j.orggeochem.2011.10.005>
- *[74] Yoshinaga, M.Y., Kellermann, M.Y., Rossel, P.E., Schubotz, F., Lipp, J.S., **Hinrichs, K.-U.** (2011) Systematic fragmentation patterns of archaeal intact polar lipids by HPLC-ESI-IT-MS. *Rapid Communications in Mass Spectrometry*, 25, 3563-3574. <https://doi.org/10.1002/rcm.5251>
- [73] Zhang, Y.G., Zhang, C.L., Liu, X.L., Li, L., **Hinrichs, K.-U.**, Noakes, J.E. (2011) Methane Index: A tetraether archaeal lipid biomarker indicator for detecting the instability of marine gas hydrate. *Earth and Planetary Science Letters*, 307, 525-534. <https://doi.org/10.1016/j.epsl.2011.05.031>
- [72] Holler, T., Widdel, F., Knittel, K., Amann, R., Kellermann, M.Y., **Hinrichs, K.-U.**, Teske, A., Boetius, A., Wegener, G. (2011) Thermophilic anaerobic oxidation of methane by marine microbial consortia. *The ISME Journal*, 5, 1946-1956. <https://doi.org/10.1038/ismej.2011.77>
- *[71] Schubotz, F., Lipp, J.S., Elvert, M., **Hinrichs, K.-U.** (2011) Stable carbon isotopic compositions of intact polar lipids reveal complex carbon flow patterns among hydrocarbon degrading microbial communities at the

- Chapopote asphalt volcano. *Geochimica et Cosmochimica Acta*, 75, 4399-4415.
<https://doi.org/10.1016/j.gca.2011.05.018>
- *[70] Schubotz, F., Lipp, J.S., Elvert, M., Kasten, S., Prieto Mollar, X., Zabel, M., Bohrmann, G., **Hinrichs, K.-U.** (2011) Petroleum degradation and associated microbial signatures at the Chapopote asphalt volcano, Southern Gulf of Mexico. *Geochimica et Cosmochimica Acta*, 75, 4377-4398.
<https://doi.org/10.1016/j.gca.2011.05.025>
- *[69] Schmidt, F., Koch, B., Elvert, M., Schmidt, G., Witt, M., **Hinrichs, K.-U.** (2011) Diagenetic transformation of dissolved organic nitrogen compounds under contrasting sedimentary redox conditions in the Black Sea. *Environmental Science and Technology*, 45, 5223-5229. <https://doi.org/10.1021/es2003414>
- *[68] Liu, X.L., Lipp, J.S., **Hinrichs, K.-U.** (2011) Distribution of intact and core GDGTs in marine sediments. *Organic Geochemistry*, 42, 368-375. <https://doi.org/10.1016/j.orggeochem.2011.02.003>
- [67] Cook, M.S., Keigwin, L.D., Birgel, D., **Hinrichs, K.-U.** (2011) Repeated pulses of vertical methane flux recorded in glacial sediments from the southeast Bering Sea. *Paleoceanography*, 26, PA2210.
<https://doi.org/10.1029/2010PA001993>
- *[66] Bühring, S.I., Sievert, S.M., Jonkers, H.M., Ertefai, T., Elshahed, M.S., Krumholz, L.R., **Hinrichs, K.-U.** (2011) Insights into chemotaxonomic composition and carbon cycling of phototrophic communities in an artesian sulfur-rich spring of moderate temperature (Zodletone, Oklahoma, USA), a possible analogue for ancient microbial mat systems. *Geobiology*, 9, 116-179. <https://doi.org/10.1111/j.1472-4669.2010.00268.x>
- [65] Jessen, G.L., Pantoja, S., Gutiérrez, M.A., Quiñones, R.A., González, R.R., Sellanes, J., Kellermann, M., **Hinrichs, K.-U.** (2011) Methane in shallow cold seeps at Mocha Island off central Chile. *Continental Shelf Research*, 31, 574-581. <https://doi.org/10.1016/j.csr.2010.12.012>
- *[64] Rossel, P.E., Elvert, M., Ramette, A., Boetius, A., **Hinrichs, K.-U.** (2011) Factors controlling the distribution of anaerobic methanotrophic communities in marine environments: Evidence from intact polar membrane lipids. *Geochimica et Cosmochimica Acta*, 75, 164-184. <https://doi.org/10.1016/j.gca.2010.09.031>
- [63] Takano, Y., Chikaraishi, Y., Ogawa, N.O., Nomaki, H., Morono, Y., Inagaki, F., Kitazato, H., **Hinrichs, K.-U.**, Ohkouchi, N. (2010) Sedimentary membrane lipids recycled by deep-sea benthic archaea. *Nature Geoscience*, 3, 858-861. <https://doi.org/10.1038/ngeo983>
- [62] Leider, A., **Hinrichs, K.-U.**, Mollenhauer, G., Versteegh, G.J.M. (2010) Core-top calibration of the lipid-based UK₃₇ and TEX₈₆ temperature proxies on the southern Italian shelf (SW Adriatic Sea, Gulf of Taranto). *Earth and Planetary Science Letters*, 300, 112-124. <https://doi.org/10.1016/j.epsl.2010.09.042>
- *[61] Lin, Y.S., Lipp, J.S., Yoshinaga, M.Y., Lin, S.H., Elvert, M., **Hinrichs, K.-U.** (2010) Intramolecular stable carbon isotopic analysis of archaeal glycosyl tetraether lipids. *Rapid Communications in Mass Spectrometry*, 24, 2817-2826. <https://doi.org/10.1002/rcm.4707>
- *[60] Ertefai, T.F., Heuer, V.B., Prieto Mollar, X., Vogt, C., Sylva, S.P., Seewald, J., **Hinrichs, K.-U.** (2010) The biogeochemistry of sorbed methane in marine sediments. *Geochimica et Cosmochimica Acta*, 74, 6033-6048. <https://doi.org/10.1016/j.gca.2010.08.006>
- *[59] Lin, Y.S., Heuer, V.B., Ferdelman, T., **Hinrichs, K.-U.** (2010) Microbial conversion of inorganic carbon to dimethyl sulfides in anoxic lake sediment (Plußsee, Germany). *Biogeosciences*, 7, 2433-2444. <https://doi.org/10.5194/bg-7-2433-2010>
- [58] Rethemeyer, J., Schubotz, F., Talbot, H.M., Cooke, M.P., **Hinrichs, K.-U.**, Mollenhauer, G. (2010) Distribution of polar membrane lipids in permafrost soils and sediments of a small high Arctic catchment. *Organic Geochemistry*, 41, 1130-1145. <https://doi.org/10.1016/j.orggeochem.2010.06.004>
- *[57] Lin, Y.-S., Biddle, J.F., Lipp, J.S., Orcutt, B., Holler, T., Teske, A., **Hinrichs, K.-U.** (2010) Effect of storage conditions on archaeal and bacterial communities in subsurface marine sediments. *Geomicrobiology Journal*, 27, 261-272. <https://doi.org/10.1080/01490450903410423>
- *[56] Liu, X.L., Leider, A., Gillespie, A., Gröger, J., Versteegh, G., **Hinrichs, K.-U.** (2010) Identification of polar lipid precursors of the ubiquitous branched GDGT orphan lipids in a peat bog in Northern Germany. *Organic Geochemistry*, 41, 653-660. <https://doi.org/10.1016/j.orggeochem.2010.04.004>

- [55] Lever, M.A., Heuer, V.B., Morono, Y., Masui, N., Schmidt, F., Alperin, M.J., Inagaki, F., **Hinrichs, K.-U.**, Teske, A. (2010) Acetogenesis in deep subseafloor sediments of the Juan de Fuca Ridge flank: A synthesis of geochemical, thermodynamic, and gene-based evidence. *Geomicrobiology Journal*, 27, 183-211. <https://doi.org/10.1080/01490450903456681>
- [54] Kinnaman, F.S., Kimball, J., Busso, L., Birgel, D., Ding, H., **Hinrichs, K.-U.**, Valentine, D.L. (2010) Gas flux and carbonate occurrence at a shallow seep of thermogenic natural gas. *Geo-Marine Letters*, 30, 355-365. <https://doi.org/10.1007/s00367-010-0184-0>
- [53] Perevalova, A.A., Bidzheva, S.K., Kublanov, I.V., **Hinrichs, K.-U.**, Liu, X.L., Mardanov, A.V., Lebedinsky, A.V., Bonch-Osmolovskaya, E.A. (2010) *Fervidicoccus fontis* gen. nov., sp. nov., an anaerobic, thermophilic crenarchaeote from terrestrial hot springs, and proposal of *Fervidicoccaceae* fam. nov. and *Fervidicoccales* ord. nov. *International Journal of Systematic and Evolutionary Microbiology*, 60, 2082-2088. <https://doi.org/10.1099/ijss.0.019042-0>
- [52] Borin, S., Ventura, S., Tambone, F., Mapelli, F., Schubotz, F., Brusetti, L., Scaglia, B., D'Acqui, L., Solheim, B., Turicchia, S., Marasco, R., **Hinrichs, K.-U.**, Baldi, F., Adani, F., Daffonchio, D. (2010) Rock weathering creates oases of life in a High Arctic desert. *Environmental Microbiology*, 12, 293-303. <https://doi.org/10.1111/j.1462-2920.2009.02059.x>
- [51] Pape, T., Bahr, A., Rethemeyer, J., Kessler, J.D., Sahling, H., **Hinrichs, K.-U.**, Klapp, S.A., Reeburgh, W.S., Bohrmann, G. (2010) Molecular and isotopic partitioning of low-molecular weight hydrocarbons during migration and gas hydrate precipitation in deposits of a high-flux seepage site. *Chemical Geology*, 269, 350-363. <https://doi.org/10.1016/j.chemgeo.2009.10.009>
- [50] Schmidt, F., **Hinrichs, K.-U.**, Elvert, M. (2010) Sources, transport, and partitioning of organic matter at a highly dynamic continental margin. *Marine Chemistry*, 118, 37-55. <https://doi.org/10.1016/j.marchem.2009.10.003>
- *[49] Heuer, V.B., Krüger, M., Elvert, M., **Hinrichs, K.-U.** (2010) Experimental studies on the stable carbon isotope biogeochemistry of acetate in lake sediments. *Organic Geochemistry*, 41, 22-30. <https://doi.org/10.1016/j.orggeochem.2009.07.004>
- [48] Bradley, A.S., Fredricks, H.F., **Hinrichs, K.-U.**, Summons, R.E. (2009) Structural diversity of diether lipids in carbonate chimneys at the Lost City Hydrothermal Field. *Organic Geochemistry*, 40, 1169-1178. <https://doi.org/10.1016/j.orggeochem.2009.09.004>
- *[47] Lipp, J.S., **Hinrichs, K.-U.** (2009) Structural diversity and fate of intact polar lipids in marine sediments. *Geochimica et Cosmochimica Acta*, 73, 6816-6833. <https://doi.org/10.1016/j.gca.2009.08.003>
- *[46] Sepúlveda, J.C., Wendler, J., Summons, R.E., **Hinrichs, K.-U.** (2009) Rapid resurgence of marine productivity at the Cretaceous-Paleogene mass extinction event. *Science*, 326, 129-132. <https://doi.org/10.1126/science.1176233>
- *[45] Schubotz, F., Wakeham, S.G., Lipp, J.S., Fredricks, H.F., **Hinrichs, K.-U.** (2009) Detection of microbial biomass by intact membrane lipid analysis in the water column and surface sediments of the Black Sea. *Environmental Microbiology*, 11, 2720-2734. <https://doi.org/10.1111/j.1462-2920.2009.01999.x>
- [44] Bühring, S.I., Smittenberg, R.H., Sachse, D., Lipp, J.S., Golubic, S., Sachs, J.P., **Hinrichs, K.-U.**, Summons, R.E. (2009) A hypersaline microbial mat from the Pacific Atoll Kiritimati: Insight into composition and carbon fixation using biomarker analyses and a ¹³C-labeling approach. *Geobiology*, 7, 308-323. <https://doi.org/10.1111/j.1472-4669.2009.00198.x>
- *[43] Schmidt, F., Elvert, M., Koch, B., Witt, M., **Hinrichs, K.-U.** (2009) Molecular characterization of dissolved organic matter in pore water in continental shelf sediments. *Geochimica et Cosmochimica Acta*, 73, 3337-3358. <https://doi.org/10.1016/j.gca.2009.03.008>
- *[42] Heuer, V.B., Pohlman, J.W., Torres, M.E., Elvert, M., **Hinrichs, K.-U.** (2009) The stable carbon isotope biogeochemistry of acetate and other dissolved carbon species in deep sub-seafloor sediments at the northern Cascadia Margin. *Geochimica et Cosmochimica Acta*, 73, 3323-3336. <https://doi.org/10.1016/j.gca.2009.03.001>

- *[41] Sepúlveda, J., Wendler, J., Leider, A., Kuss, H.-J., Summons, R.E., **Hinrichs, K.-U.** (2009) Molecular-isotopic evidence of environmental and ecological changes across the Cenomanian-Turonian boundary in the Levant Platform of central Jordan. *Organic Geochemistry*, 40, 553-568.
<https://doi.org/10.1016/j.orggeochem.2009.02.009>
- [40] Joye, S.B., Samarkin, V.A., Orcutt, B.N., MacDonald, I.R., **Hinrichs, K.-U.**, Elvert, M., Teske, A.P., Lloyd K.G., Montoya, J.P., Meile, C.D. (2009) Metabolic variability in seafloor brines revealed by carbon and sulphur dynamics. *Nature Geoscience*, 2, 349-354. <https://doi.org/10.1038/ngeo475>
- [39] De Deckker, P., Abed, R.M.M., De Beer, D., **Hinrichs, K.-U.**, O'Loingsigh, T., Schefuss, E., Stuur, J.B., Tapper, N.J., van der Kaars, S. (2008) Geochemical and microbiological fingerprinting of airborne dust that fell in Canberra, Australia, in October 2002. *Geochemistry, Geophysics, Geosystems*, 9, Q12Q10.
<https://doi.org/10.1029/2008GC002091>
- *[38] Ertefai, T.F., Fisher, M.C., Fredricks, H.F., Lipp, J.S., Birgel, D., Udert, K.M., Cavanaugh, C.M., Pearson, A., Gschwend, P.M., **Hinrichs, K.-U.** (2008) Vertical distribution of microbial lipids and functional genes in chemically distinct layers of a highly polluted meromictic lake. *Organic Geochemistry*, 39, 1572-1588.
<https://doi.org/10.1016/j.orggeochem.2008.07.009>
- *[37] Lipp, J.S., Morono, Y., Inagaki, F., **Hinrichs, K.-U.** (2008) Significant contribution of Archaea to extant biomass in marine subsurface sediments. *Nature*, 454, 991-994. <https://doi.org/10.1038/nature07174>
- [36] Meckler, A.N., Schubert, C.J., Hochuli, P.A., Plessen, B., Birgel, D., **Hinrichs, K.-U.**, Haug, G.H. (2008) Glacial to Holocene terrigenous organic matter input to sediments from Orca Basin, Gulf of Mexico - a combined optical and biomarker approach. *Earth and Planetary Science Letters*, 272, 251-263.
<https://doi.org/10.1016/j.epsl.2008.04.046>
- [35] Stadnitskaia, A., Boulobassi, I., Elvert, M., **Hinrichs, K.-U.**, Sinninghe Damsté, J.S. (2008) Extended hydroxyarchaeol, a novel biomarker for anaerobic methanotrophy in cold seepage habitats. *Organic Geochemistry*, 39, 1007-1014. <https://doi.org/10.1016/j.orggeochem.2008.04.019>
- [34] Wegener, G., Niemann, H., Elvert, M., **Hinrichs, K.-U.**, Boetius, A. (2008) Assimilation of methane and inorganic carbon by microbial communities mediating the anaerobic oxidation of methane. *Environmental Microbiology*, 10, 2287-2298. <https://doi.org/10.1111/j.1462-2920.2008.01653.x>
- *[33] Rossel, P.E., Lipp, J.S., Fredricks, H.F., Arnds, J., Boetius, A., Elvert, M., **Hinrichs, K.-U.** (2008) Intact polar lipids of anaerobic methanotrophic archaea and associated bacteria. *Organic Geochemistry*, 39, 992-999.
<https://doi.org/10.1016/j.orggeochem.2008.02.021>
- [32] Strapoc, D., Picardal, F.W., Turich, C., Schaperdorth, I., Macalady, J.L., Lipp, J.S., Lin, Y.-S., Ertefai, T.F., Schubotz, F., **Hinrichs, K.-U.**, Mastalerz, M., Schimmelmann, A. (2008) Methane-producing microbial community in a coal bed of the Illinois Basin. *Applied and Environmental Microbiology*, 74, 2424-2432.
<https://doi.org/10.1128/AEM.00856-08>
- [31] Elshahed, M.S., Youssef, N.H., Luo, Q., Najar, F.Z., Roe, B.A., Sisk, T.M., Bühring, S.I., **Hinrichs, K.-U.**, Krumholz, L.R. (2007) Phylogenetic and metabolic diversity of *Planctomyces* from anaerobic, sulfide- and sulfur-rich Zodletone Spring, Oklahoma. *Applied and Environmental Microbiology*, 73, 4707-4716.
<https://doi.org/10.1128/AEM.00591-07>
- *[30] Fredricks, H.F., **Hinrichs, K.-U.** (2007) Data report: Intact membrane lipids as indicators of subsurface life in Cretaceous and Paleogene sediments from Sites 1257 and 1258. *Proceedings of the Ocean Drilling Program, Scientific Results Vol. 207*, <http://dx.doi.10.2973/odp.proc.sr.207.112.2007>.
- *[29] Heuer, V., Elvert, M., Tille, S., Krummen, M., Prieto Mollar, X., Hmelo, L.R., **Hinrichs, K.-U.** (2006) Online $\delta^{13}\text{C}$ analysis of volatile fatty acids in sediment/porewater systems by liquid chromatography-isotope ratio-mass spectrometry. *Limnology and Oceanography-Methods*, 4, 346-357. <https://doi.org/10.4319/lom.2006.4.346>
- [28] Birgel, D., Thiel, V., **Hinrichs, K.-U.**, Elvert, M., Campbell, K., Reitner, J., Farmer, J.D., Peckmann, J. (2006) Lipid biomarker patterns of methane-seep microbialites from the Mesozoic convergent margin of California. *Organic Geochemistry*, 37, 1289-1302. <https://doi.org/10.1016/j.orggeochem.2006.02.004>

- *[27] **Hinrichs, K.-U.**, Hayes, J.M., Bach, W., Spivack, A., Hmelo, L.R., Holm, N., Johnson, C.G., Sylva, S.P. (2006) Biological formation of ethane and propane in the deep marine subsurface. *Proceedings of the National Academy of Sciences, USA*, 103, 14684-14689. <https://doi.org/10.1073/pnas.0606535103>
- [26] Spivack, A., McNeil, C., Holm, N.G., **Hinrichs, K.-U.** (2006) Determination of in situ methane based on analysis of void gas. *Proceedings of the Ocean Drilling Program, Scientific Results*, Vol. 201, Ms 201SR-119, http://www-odp.tamu.edu/publications/201_SR/119/119.htm.
- [25] Bice, K., Birgel, D., Meyers, P.A., Dahl, K.A., **Hinrichs, K.-U.**, Norris, R.D. (2006) A multiple proxy and model study of Cretaceous upper ocean temperatures and atmospheric CO₂ concentrations. *Paleoceanography and Paleoclimatology*, 21, PA2002. <https://doi.org/10.1029/2005PA001203>
- *[24] Biddle, J.F., Lipp, J.S., Lever, M., Lloyd, K., Sørensen, K., Anderson, R., Fredricks, H.F., Elvert, M., Kelly, T.J., Schrag, D.P., Sogin, M.L., Brenchley, J.E., Teske, A., House, C.H., **Hinrichs, K.-U.** (2006) Heterotrophic Archaea dominate sedimentary subsurface ecosystems off Peru. *Proceedings of the National Academy of Sciences, USA*, 103, 3846-3851. <https://doi.org/10.1073/pnas.0600035103>
- *[23] Sturt, H.F., Summons, R.E., Smith, K.J., Elvert, M., **Hinrichs, K.-U.** (2004) Intact polar membrane lipids in prokaryotes and sediments deciphered by high-performance liquid chromatography/electrospray ionization multistage mass spectrometry – new biomarkers for biogeochemistry and microbial ecology. *Rapid Communications in Mass Spectrometry*, 18, 617-628. <https://doi.org/10.1002/rcm.1378>
- [22] Orphan, V.J., Ussler, W. III, Naehr, T., House, C.H., **Hinrichs, K.-U.**, Paull, C. K. (2004) Geological, geochemical, and microbiological heterogeneity of the seafloor around methane vents in the Eel River Basin, offshore California. *Chemical Geology*, 205, 265-289. <https://doi.org/10.1016/j.chemgeo.2003.12.035>
- [21] D'Hondt, S., Jørgensen, B.B., Miller, D.J., Batzke, A., Blake, R., Cragg, B.A., Cypionka, H., Dickens, G.R., Ferdelman, T., **Hinrichs, K.-U.**, Holm, N.G., Mitterer, R., Spivack, A., Wang, G., Bekins, B., Engelen, B., Ford, K., Gettemy, G., Rutherford, S.D., Sass, H., Skilbeck, C.G., Aiello, I.W., Guérin, G., House, C., Inagaki, F., Meister, P., Nähr, T., Niitsuma, S., Parkes, R.J., Schippers, A., Smith, D.C., Teske, A., Wiegel, J., Padilla, C.N., Solis Acosta, J.L. (2004) Distributions of metabolic activities in deep subseafloor sediments. *Science*, 306, 2216-2221. <https://doi.org/10.1126/science.1101155>
- *[20] **Hinrichs, K.-U.**, Hmelo, L.R., Sylva, S.P. (2003) Molecular fossil record of elevated methane levels in late Pleistocene coastal waters. *Science*, 299, 1214-1217. <https://doi.org/10.1126/science.1079601>
- [19] Orphan, V.J., House, C.H., **Hinrichs, K.-U.**, McKeegan, K.D., DeLong, E.F. (2002) Multiple archaeal groups mediate methane oxidation in anoxic cold seep sediments. *Proceedings of the National Academy of Sciences, USA*, 99, 7663-7668. <https://doi.org/10.1073/pnas.072210299>
- *[18] **Hinrichs, K.-U.** (2002) Microbial fixation of methane-carbon at 2.7 Ga: Was an anaerobic mechanism possible? *Geochemistry, Geophysics, Geosystems*, 3(7), <https://doi.org/10.1029/2001GC000286>.
- [17] Teske, A., **Hinrichs, K.-U.**, Edgcomb, V., de Vera Gomez, A., Kysela, D., Sylva, S.P., Sogin, M.L., Jannasch, H.W. (2002) Microbial diversity of hydrothermal sediments in the Guaymas Basin: Evidence for anaerobic methanotrophic communities. *Applied and Environmental Microbiology*, 68, 1994-2007. <https://doi.org/10.1128/aem.68.4.1994-2007.2002>
- [16] **Hinrichs, K.-U.** and Boetius, A. (2002) The anaerobic oxidation of methane: New insights in microbial ecology and biogeochemistry. In: *Ocean Margin Systems* (eds. G. Wefer *et al.*), Springer Verlag, Berlin-Heidelberg, pp. 457-477. https://doi.org/10.1007/978-3-662-05127-6_28
- [15] Orphan, V.J., House, C.H., **Hinrichs, K.-U.**, McKeegan, K.D., DeLong, E.F. (2001) Methane-consuming archaea revealed by directly coupled isotopic and phylogenetic analysis. *Science*, 293, 484-487. <https://doi.org/10.1126/science.1061338>
- [14] Orphan, V.J., **Hinrichs, K.-U.**, Ussler III, W., Paull, C.K., Taylor, L.T., Sylva, S.P., Hayes, J.M., Delong, E.F. (2001) Comparative analysis of methane-oxidizing archaea and sulfate-reducing bacteria in anoxic marine sediments. *Applied and Environmental Microbiology*, 67, 1922-1934. <https://doi.org/10.1128/AEM.67.4.1922-1934.2001>
- [13] Jahnke, L.L., Eder, W., Huber, R., Hope, J.M., **Hinrichs, K.-U.**, Hayes, J.M., Des Marais, D.J., Cady, S., Summons, R.E. (2001) Signature lipids and stable carbon isotope analyses of Octopus Spring

- hyperthermophilic communities compared with those of *Aquificales* representatives. *Applied and Environmental Microbiology*, 67, 5179-5189. <https://doi.org/10.1128/AEM.67.11.5179-5189.2001>
- *[12] **Hinrichs, K.-U.**, Eglington, G., Engel, M.H., Summons, R.E. (2001) Exploiting the multivariate isotopic nature of organic compounds. *Geochemistry, Geophysics, Geosystems*, 2(7), <https://doi.org/10.1029/2001GC000142>.
- *[11] **Hinrichs, K.-U.** (2001) A molecular recorder of methane hydrate destabilization. *Geochemistry, Geophysics, Geosystems*, 2(1), 2000GC000118. <https://doi.org/10.1029/2000GC000118>
- [10] Bian, L.Q., **Hinrichs, K.-U.**, Xie, T.M., Brassell, S.C., Iversen, N., Fossing, H., Jørgensen, B.B., Hayes, J.M. (2001) Algal and archaeal isoprenoids in a recent marine sediment: Molecular-isotopic evidence for anaerobic oxidation of methane. *Geochemistry, Geophysics, Geosystems*, 2(1), 2000GC000112. <https://doi.org/10.1029/2000GC000112>
- [9] **Hinrichs, K.-U.**, Summons, R.E., Orphan, V., Sylva, S.P., Hayes, J.M. (2000) Molecular and isotopic analyses of anaerobic methane-oxidizing communities in marine sediments. *Organic Geochemistry*, 31, 1685-1701. [https://doi.org/10.1016/S0146-6380\(00\)00106-6](https://doi.org/10.1016/S0146-6380(00)00106-6)
- [8] **Hinrichs, K.-U.**, Pancost, R.D., Summons, R.E., Sprott, G.D., Sylva, S.P., Sinninghe Damsté, J.S., Hayes, J.M. (2000) Mass spectra of *sn*-2-hydroxyarchaeol, a polar-lipid biomarker for anaerobic methanotrophy. *Geochemistry, Geophysics, Geosystems*, 1(5), 2000GC000042. <https://doi.org/10.1029/2000GC000042>
- [7] Bolle, M.-P., Pardo, A., **Hinrichs, K.-U.**, Adatte, T., Salis, K.V., Burns, S., Keller, G., Muzylev, N. (2000) The Paleocene-Eocene transition in the marginal northeastern Tethys (Kazakhstan and Uzbekistan). *International Journal of Earth Sciences*, 89, 390-414. <https://doi.org/10.1007/s005310000092>
- [6] **Hinrichs, K.-U.**, Schneider, R.R., Müller, P.J., Rullkötter, J. (1999) A biomarker perspective on paleoproductivity variations in two Late Quaternary sediment sections from the Southeast Atlantic Ocean. *Organic Geochemistry*, 30, 341-366. [https://doi.org/10.1016/S0146-6380\(99\)00007-8](https://doi.org/10.1016/S0146-6380(99)00007-8)
- [5] **Hinrichs, K.-U.**, Hayes, J.M., Sylva, S.P., Brewer, P.G., DeLong, E.F. (1999) Methane-consuming archaeabacteria in marine sediments. *Nature*, 398, 802-805. <https://doi.org/10.1038/19751>
- [4] **Hinrichs, K.-U.** and Rullkötter, J. (1997) Terrigenous and marine lipids in Amazon Fan sediments: Implications for sedimentological reconstructions. In: *Proc. ODP, Sci. Res.*, 155 (Eds. R.D. Flood, D.J.W. Piper, A. Klaus & L.C. Peterson), 539-553. Ocean Drilling Program, College Station, TX.
- [3] **Hinrichs, K.-U.**, Rinna, J., Rullkötter, J., Stein, R. (1997) A 160 kyr record of alkenone-derived sea-surface temperatures from Santa Barbara Basin sediments. *Naturwissenschaften*, 84, 126-128. <https://doi.org/10.1007/s001140050361>
- [2] Budzinski, H., Garrigues, P., Bernard, G., Bellocq, J., **Hinrichs, K.-U.**, Rullkötter, J. (1997) Identification of polycyclic aromatic hydrocarbons in sediments from the Amazon Fan: Occurrence and diagenetic evolution. In: *Proc. ODP, Sci. Res.*, 155 (Eds. R.D. Flood, D.J.W. Piper, A. Klaus & L.C. Peterson), 555-564. Ocean Drilling Program, College Station, TX.
- [1] **Hinrichs, K.-U.**, Rullkötter, J., Stein, R. (1995) Preliminary assessment of organic geochemical signals in sediments from Hole 893A, Santa Barbara Basin, offshore California. In: *Proc. ODP, Sci. Res.*, 146, Pt. 2 (Ed. by J.P. Kennett, J. Baldauf & M. Lyle), pp. 201-211. Ocean Drilling Program, College Station, TX.

Accepted peer-reviewed manuscripts (not yet online)

Technical reports, book chapters (not peer-reviewed)

- [XVI] Tanikawa, W., Ohtomo, Y., Snyder, G., Morono, Y., Kubo, Y., Iijima, Y., Noguchi, T., **Hinrichs, K.-U.**, Inagaki, F., (2018) Data report: Water activity of the deep coal-bearing basin off Shimokita from IODP Expedition 337. In Inagaki, F., Hinrichs, K.-U., Kubo, Y., and the Expedition 337 Scientists, *Proceedings of the Integrated Ocean Drilling Program*, 337: Tokyo (Integrated Ocean Drilling Program Management International, Inc.). doi:10.2204/iodp.proc.337.204.2018
- [XV] **Hinrichs, K.-U.**, Inagaki, F., Heuer, V., Kinoshita, M., Morono, Y., Kubo, Y. (2016) Expedition 370 Scientific Prospectus: T-Limit of the Deep Biosphere off Muroto (T-Limit). International Ocean Discovery Program. <https://doi.org/10.14379/iodp.sp.370.2016>

- [XIV] Inagaki, F., **Hinrichs, K.-U.**, Kubo, Y., and 44 authors (see author list of Science paper, ref. # 137) (2016) IODP Expedition 337: Deep Coalbed Biosphere off Shimokita - Microbial processes and hydrocarbon system associated with deeply buried coalbed in the ocean. *Scientific Drilling*, 21, 17-28. <https://doi.org/10.5194/sd-21-17-2016>
- [XIII] Mills, H.J., de Leeuw, J., **Hinrichs, K.-U.**, Inagaki, F., Kallmeyer, J. (2015) Advancing subsurface biosphere and paleoclimate research: ECORD–ICDP–DCO–J–DESC–MagellanPlus Workshop Series Program Report, *Scientific Drilling*, 20, 59–65. <https://doi.org/10.5194/sd-20-59-2015>
- [XII] **Hinrichs, K.-U.**, Heuer, V.B., Lipp, J.S. *Leben im Untergrund der Tiefsee – die tiefe Biosphäre*. (2015) *Expedition Erde* (4. Auflage, Eds. G. Wefer, F. Schmieder), MARUM Bibliothek – Verständliche Geowissenschaften, Bremen, 158-163.
- [XI] Inagaki, F., **Hinrichs, K.-U.**, Kubo, Y., and the Expedition 337 Scientists (2013) Deep Coalbed Biosphere off Shimokita. *Proc. IODP*, 337: Tokyo (Integrated Ocean Drilling Program Management International, Inc.) doi:10.2204/iodp.proc.337.102.2013.
- [X] Inagaki, F., **Hinrichs, K.-U.**, Kubo, Y., and the Expedition 337 Scientists, (2012) Deep coalbed biosphere off Shimokita: Microbial processes and hydrocarbon system associated with deeply buried coalbed in the ocean. *IODP Prel. Rept.*, 337. doi:10.2204/iodp.pr.337.2012
- [IX] **Hinrichs, K.-U.**, Heuer, V.B., Lipp, J.S. *Leben im Untergrund der Tiefsee – die tiefe Biosphäre*. (2010) *Expedition Erde* (Eds. G. Wefer, F. Schmieder), MARUM Bibliothek – Verständliche Geowissenschaften, Bremen, 144-149.
- [VIII] Inagaki, F., **Hinrichs, K.-U.**, Kubo, Y., and the Expedition 337 Project Team (2010) Deep Coalbed Biosphere off Shimokita: Microbial Processes and Hydrocarbon System Associated with Deeply Buried Coalbed in the Ocean. *IODP Sci. Prosp.*, 337. doi:10.2204/iodp.sp.337.2010
- [VII] D'Hondt, S, Jørgensen, B.B., Miller, J., and ODP Leg 201 Shipboard Scientific Party. (2003) Proc. ODP, Init. Res. 201, online: http://www-odp.tamu.edu/publications/201_IR/201ir.htm.
- [VI] Dickens, G.R., Schroeder, D., **Hinrichs, K.-U.**, and ODP Leg 201 Shipboard Scientific Party. (2003) The pressure core sampler (PCS) on Ocean Drilling Program Leg 201: General operations and gas release. Proc. ODP, Init. Res. 201, online: http://www-odp.tamu.edu/publications/201_IR/VOLUME/CHAPTERS/IR201_03.PDF.
- [V] Boetius, A., Jørgensen, B.B., Amann, R., **Hinrichs, K.-U.**, Lochte, K., MacGregor, B., Voordouw, G. (2002) Microbial systems in sedimentary environments of continental margins. *Ocean Margin Systems* (Eds. G. Wefer et al.), Springer Verlag, Berlin-Heidelberg, 479-495.
- [IV] Rinna, J., Günter, U., **Hinrichs, K.-U.**, Mangelsdorf, K., van der Smissen, J.H., Rullkötter, J. (2000) Temperature-related molecular proxies: Degree of alkenone unsaturation and average chain length of *n*-alkanes. In: *Proceedings of the Sixteenth Annual Pacific Climate (PACLIM) Workshop, May 24-27, 1999, Interagency Ecological Program, Technical Report 65* (Eds. G.J. West & V. L. Buffaloe), 133-140. California Department of Water Resources, Sacramento, CA.
- [III] **Hinrichs, K.-U.**, Rinna, J., Rullkötter, J. (1998) Late Quaternary paleoenvironmental conditions indicated by marine and terrestrial molecular biomarkers in sediments from the Santa Barbara Basin. In: *Proceedings of the Fourteenth Annual Pacific Climate (PACLIM) Workshop, April 6-9, 1997, Interagency Ecological Program, Technical Report 57* (Eds. R. C. Wilson & V. L. Tharp), 125-133. California Department of Water Resources, Sacramento, CA.
- [II] **Hinrichs, K.-U.**, Rinna, J., Rullkötter, J. (1995) Sterol compositions in sediments of the Santa Barbara Basin, California: Assessment of their potential for paleoenvironmental reconstructions. In *Organic Geochemistry: Developments and Applications to Energy, Climate, Environment and Human History*. (Eds. J. O. Grimalt & C. Dorronsoro), pp. 244-246. A.I.G.O.A., San Sebastian, Spain.
- [I] Flood, R., Piper, D.J.W., Klaus, A., and Shipboard Scientific Party. (1995) *Proc. ODP. Init. Repts.* 155. Ocean Drilling Program, College Station, TX.

Commentaries, editorial material

Hinrichs, K.-U., Inagaki, F. (2012) Downsizing the deep biosphere. *Science*, 338, 204-205.

Hinrichs, K.-U., Michaelis, W., Rullkötter, J. (2010) Preface: 24th International Meeting on Organic Geochemistry, Bremen, Germany, September 6–11, 2009. *Organic Geochemistry*, 41, 858-859.

Hinrichs, K.-U., Michaelis, W., Rullkötter, J. (2010) Editorial: Advances in Organic Geochemistry 2009, Proceedings of the 24th International Meeting on Organic Geochemistry, Bremen, Germany, September 6–11, 2009. *Organic Geochemistry*, 41, 857.

Hinrichs, K.-U. (2009) Fossile Biomoleküle als Zeugen der Vergangenheit. Book review: Echoes of Life, S.M. Gaines, G. Eglinton, J. Rullkötter, Oxford University Press, 2008. *Nachrichten aus der Chemie*, 57, 1029-1030.

Edited special issue

Hinrichs, K.-U., Michaelis, W., Rullkötter, J. (2010) Advances in Organic Geochemistry 2009, Proceedings of the 24th International Meeting on Organic Geochemistry, Bremen, Germany, September 6–11, 2009. *Organic Geochemistry*, 41 (9), 857-1074.

PhD Dissertation

Hinrichs, K.-U. (1997) *Ausgewählte Lipide in Sedimenten des Santa Barbara-Beckens und des Amazonas-Fächers: Zeugnis spätquartärer Paläoumweltbedingungen*. PhD Dissertation (Edition Wissenschaft, Reihe Chemie, 106, Tectum Verlag, Marburg, Germany).